



Professional Monochrome Laser Printer

Performance engineered to last

HL-L5210DW



www.brother.com.au

Professional Monochrome Laser Printer

The HL-L5210DW is a robust professional device engineered for continuous operation with long-lasting supplies and durable components. Get setup easily and focus on what matters most with a super-fast up to 48ppm print speed - high volume printing has never been so simple. With impressive scalability and industry-leading security comes performance engineered to last.

HL-L5210DW



Key features:

- Fast print speed of up to 48 pages per minute⁹
- Automatic 2-sided (duplex) print
- First Page Out Time (FPOT) from 6.7 seconds¹⁰
- 250-sheet paper input tray, expandable up to 1,290 sheets⁶ with optional paper trays
- 100-sheet multi-purpose tray⁶
- Gigabit Ethernet, 2.4/5GHz Wi-Fi and Hi-Speed 2.0 USB connectivity
- 256MB internal memory
- Supports Airprint, Mopria and Universal Print
- Includes an up to 3,000 page¹¹ in-box toner
- Super-high capacity replacement toners available, up to 11,000 pages¹¹



Print for longer

The HL-L5210DW is designed to keep you printing for longer with a super-high capacity toner cartridge printing up to 11,000 pages¹¹ and includes an up to 3,000 page¹¹ in-box toner. Stay focused on your work with a paper input tray fitting 250 sheets⁶, expandable with optional paper input trays.



Built to last

The HL-L5210DW sets the industry standard for longevity in a professional, high print volume environment for the A4 format. With a longer lasting drum unit and components designed for durability, you can be confident that it will keep up with your requirements, no matter how rigorous.



Speed and performance

Boost your productivity with the HL-L5210DW and experience lightning-fast printing speeds of up to 48ppm⁹ with a First Page Out Time from 6.7 seconds¹⁰. This professional workhorse will make short work of your most demanding tasks.



Connect your way

Simplify your set up process using the Brother Mobile Connect app, unlocking business quality printing right from your mobile device. Connect easily and securely, your way with Gigabit ethernet, 2.4/5GHz Wi-Fi or Hi-Speed 2.0 USB connection.



Impressive scalability

Engineered to fit into your workspace and meet specific printing requirements, the HL-L5210DW can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this printer means that it can expand its paper handling from 250 sheets to 1,290 sheets⁶ by adding optional paper trays.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The HL-L5210DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Brother at your side support

Wherever you are in Australia, Brother offers free customer care for the lifetime of your product.

General		Network Management Ut	ilities
Engine	Mono Laser	Network Management	Windows: BRAdmin Light, Web Base Management,
Warranty	1 Year Return To Base		BRAdmin Professional Mac: Web Base Management
Carton Contents	Printer, Quick Setup Guide, Power Cord, Black Toner Up		Linux: Web Base Management
our on contents	to 3,000 pages in accordance with ISO/IEC 19752 Drum DR3605 (Up to 45,000 pages: 1 page/job), Up to	Web Based Management	Web based print management software embedded onto the device
	75,000 pages: 3 page/job	BRAdmin Professional ¹	For LAN / WAN management using Windows® PC
CPU Speed	Main: Cortex-A53 1.2GHz Dual Core	Email Alerts	E-mail Notification and Reports
	Sub: ARM946 150MHz	Store Print Log to Network ⁴	User level usage data recorded to either a text or csv file direct to a network folder
Display			
LED Display	Orange x 1 (Error), Green x 2 (Data, Wi-Fi)		
LCD Display	16 characters x 1 line	Mobile / Web Printing ⁷	
Control Panel Switches	Go, Cancel, Secure, OK, Back, +, -, Wi-Fi, On/Off	iPrintScan ¹	Windows/Mac (Print Only)
		Mobile Connect ¹	IOS/Android
Printer		Universal Print7	Allows you to manage your printer fleet through cloud
Standard Memory	256MB		services from Microsoft without installing any additional software.
Print Speed ⁹	Up to 48ppm	Android Print Service Plugin	Print directly from your Android devices (Android 5.0 or
2 Sided Print	Yes (Automatic)		later), to your Brother printer through a Wi-Fi or Wired
2 Sided Print Speed ⁹	Up to 24 ipm / 12 ppm (Mono, based on ISO/IEC 24734)	AirPrint	network
Printer Resolution	1200 x 1200dpi	AirPrint	Print most common file types from any Apple AirPrint enabled application
First Print Out Time ¹⁰	Less than 6.7 secs (Ready), Less than 12.2 secs (Sleep)	Mopria ⁷	Print most common file types from Mopria™ supported
Warm Up Time	Less than 5.5 sec from Sleep mode Less than 25 secs from Power ON		Android devices
Emulation	PCL6 (V3.0), BR-Script3, IBM Proprinter XL, Epson	Google ChromeOS	Print from your Chromebook
Resident Fonts	FX-850, PDF Version 1.7, XPS Version 1.0 PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes		
	PS: 66 scalable fonts		
Resident Font BR-Script 3 Resident Font PCL	66 scalable fonts 73 scalable fonts, 12 bitmap fonts, 16 bar codes		
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	Software	
nesident baccodes	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Printer OS Compatibility ³	Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit) MacOS 11-14 ³
Quiet Mode	GS1Databar, MSI A mode to reduce the printing noise by reducing the		Linux RPM, DEB
	print speed	Software Available	Windows: Paperport 14SE ¹ and OCR, iPrint&Scan ¹ , Status Monitor, BRAdmin Light ¹ , BRAdmin Professional ¹ , Driver Deployment Wizard ¹ Mac: iPrint&Scan ¹
Connectivity Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T		Mdo. II Mitoodan
Internace	Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct	Printer Driver Functions	N in 1, Auto Duplex, Print Profiles (Windows/Mac) Poster, Header-Footer, Watermark, Booklet, Skip Blank Page, Print Archive, Print Text in Black (Windows Only)
USB Interface	Hi-Speed USB 2.0		
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet	Manual Duplex	The machine prints all the even-numbered pages on one side of the paper first. Then, the printer driver instructs
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless 5GHz IEEE 802.11a/n Wireless		you (with a pop-up message) to reinsert the paper to print the odd-numbered pages
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)	Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)		, , , , , , , , , , , , , , , , , , , ,
Wi-Fi Direct Network Protocols IPV4	IEEE 802.11g/n (Wi-Fi Direct) ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/	Archive Printing ⁴	When this feature is enabled, a PDF file of your print job will automatically be created and archived
	NetBIOS name resolution, DNS Resolver, mDNS, LLIMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/	Header and Footer Printing	Yes (Windows only)
	HTTPS server, TFTP client and server, SMTP Client,	N-up Printing ⁵	Windows / Mac
	SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client, Syslog	Poster Printing ^₄	Yes (Windows only)
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder,	Secure Print ⁵	Use Secure Print to ensure that confidential or sensitive
	LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/		documents do not print until you enter a password on the machines control panel
	v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, Syslog	Carbon Copy	The ability to print multiple copies of the same print data via driver by loading different colour or paper types into the paper trays
Security		Cerner Certified	Yes
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) (Wi-Fi Direct supports WPA2-PSK (AES) only)	Light Solutions ²	Optional (ThinPrint Client, Barcode Print+, Secure Print+) (Apply for Activation Code from Brother)
Wireless Certification	Wi-Fi Certification Mark License (WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct	Mass Deployment Tool ^{1,4}	A configuration tool to help you to install and manage multiple USB-connected or network-connected devices without baying to install any additional software
IPv4-Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)	Driver Deployment Wizard ^{1,4}	without having to install any additional software A interactive wizard to help create and deploy locally or
Secure Function Lock	Ver 3.0 (100 registerable users)		network connected Brother printer drivers

Paper Handling ⁶		
Standard Paper Capacity	Up to 250 sheets	
Multi-Purpose Tray Capacity	Up to 100 Sheets (Plain) / 11 (Envelopes @1mm thick)	
Envelopes Input	Up to 11 envelopes @1mm thick face down (MP tray only) output via rear	
Output Paper Capacity	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)	
Media Size Paper Tray	A4, Letter, B5(JIS), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K	
Media Size Paper Tray (Option)	A4, Letter, B5(JIS), A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K	
Media Size MP Tray	Width 69.8 to 215.9 mm, Length 127 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	
Media Size Duplex	A4	
Media Types Paper Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper	
Media Types Paper Tray (Option)	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper	
Media Types MP Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick	
Media Types Duplex	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper	
Media Weights Paper Tray	60 - 163 gsm, half speed and straight paper output with more than 105gsm	
Media Weights Paper Tray (Option)	60 - 120 gsm, half speed and straight paper output with more than 105gsm	
Media Weights MP Tray	60 - 230 gsm, half speed and straight paper output with more than 105gsm	
Media Weights Duplex	60 - 105 gsm	
Media Low or Out Sensor	Low Paper: Std Tray NA, Opt Trays NA Empty Paper: Std Tray NA, Opt Trays Yes	
Consumables ¹¹		
In-box Consumables	Black Toner Up to 3,000 pages in accordance with ISO/	
	IEC 19752 Drum DR3605(Up to 45,000 pages: 1 page/job)	
Standard-Yield Toner ¹¹	Black Toner TN3605 Up to 3,000 pages in accordance	

Options	
Optional Paper Tray ¹³	250 sheets (LT-5505) x 2 or 520 sheets (LT-6505) x 2 (Max. 1,040 sheets)
Optional Warranty ¹⁴	1 or 2 or 3 Years On-Site
Options (ALL)	250 sheets (LT-5505) x 2 or 520 sheets (LT-6505) x 2 (Max. 1,040 sheets) Card Reader Holder (CH-1000)
Weight & Measurements	
Size	373(W) x 388(D) x 257(H)mm
Weight	9.5 Kg without consumables 11 Kg with consumables
Size With Carton	485(W) x 450(D) x 372(H)mm
Weight With Carton	13.6 Kg with consumables
Facility and	
Environment	
Sleep Mode	Yes (0-50 min)
Power Consumption	Peak: 1280W or less, Ready: 31W or less, Sleep: 5.5W, Deep Sleep: 0.5W or less
TEC Value	0.59 kWh / Week
Noise Level	Sound Pressure Level: (Printing) Less than 54 dBA, (Standby) Less than 35 dBA Sound Power Level: (Printing) Less than 7.07 B, (Standb Less than 4.9 BA, (QuietMode) Less than 6.54 B
Temperature	Operating: 10 - 32°C Storage: 0 - 40°C
Humidity	Operating: 20 - 80% (without condensation) Storage: 35 - 85% (without condensation)
Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Power Save	This enables the printer to consume less energy when not in use
Others	
Recommended Monthly Print Volume ⁸	500 to 5,000 pages

Disclaimers:

- 1 Download from Brother Solutions Centre
- 2 Apply to activate
- 3 Via Airprint or iPrint&Scan

High-Yield Toner¹¹

Super High-Yield Toner¹¹

- 4 Windows only 5 Windows/Mac
- 6 Capacity calculated with 80g/m² paper 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life

with ISO/IEC 19752

accordance with ISO/IEC 19752

pages in accordance with ISO/IEC 19752

Black Toner High-Yield TN3605XL Up to 6,000 pages in

Black Toner Super High-Yield TN3605XXL Up to 11,000

- 9 Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752
- 13 Purchase optional tray required 14 Purchase optional onsite warranty required



All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com

brother at your side

HL-L5210DW | Page 4