





Work smarter and faster

Professional A3 Inkjet Multi Function

MFC-J6540DW











PRINT

COPY

SCAN

A V

WIRELESS

Ideal choice for business

Work smarter and faster with the Brother MFC-J6540DW - the complete A3 Multi-Function Inkjet that's made for business. By combining the fastest in class first page out time of 4.4 secs¹⁰, print speeds up to 28ppm and network connectivity supporting 5GHz wireless LAN, it delivers a fast, smooth, consistent user experience and provides professional quality colour documents. Designed for modern hybrid workplaces, with scan features including scan to email¹, cloud storage¹ and Optical Character Recognition (OCR), it provides versatile paper handling from A5 through to A3. The MFC-J6540DW is perfect for the digitisation and printing needs of every business.

MFC-J6540DW



Key features:

Brother Mobile Connect







- Up to 28 ppm print speed⁹
- Automatic 2-sided (duplex) A3 print
- 1-sided (simplex) A3 scan, copy and fax
- 6.8cm colour touchscreen
- Wired and wireless connectivity
- 1 x 250 paper tray up to A32
- 1 sheet manual feed slot up to A32
- 50 sheet A3 Automatic Document Feeder (ADF)²
- High-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs¹⁰ and print speeds of up to 28 ppm. Combined with versatile paper handling up to A3, it provides a fast, smooth and consistent user experience that every business needs



Large page yields and low-cost printing

When it's time to replace your ink supply, keep running costs low with high-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - a visual, numerical way to know the amount of ink you've used and the amount of ink you have remaining



Brother at your side support

Free Australian-based support for the lifetime of your Brother device



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device so printing, scanning and managing documents on your smartphone is at your fingertips



Intuitive one-touch cloud connect

Print-from and scan-to popular cloud apps⁸ directly including Dropbox, Google Drive™, OneDrive and more. Help save time by creating custom shortcuts directly on the 6.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options tailored to your home or small office with dual band (2.4Ghz/5Ghz) Wireless Network support, Ethernet, Wi-Fi Direct or connect locally to a single computer via USB interface



General		Mobile and Web	
Technology	Inkjet	Connectivity	
Memory	256MB	Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
LCD/Type & Size	6.8cm Colour Touchscreen LCD	(Android)	faxes, preview copies and check the machine status from an Android device
Local Interface	Hi-Speed USB 2.0	Brother Mobile Connect⁵	Print from, scan to, send faxes, preview received
Wired Network	10Base-T/100Base-TX Ethernet	(iPad / iPhone)	faxes, preview copies and check the machine
Wireless Network	Dual Band 2.4Ghz and 5Ghz		status from an iPad / iPhone
USB Host	Print from and scan to a USB stick	Apple AirPrint	Print from and scan to most common file types from
Wi-Fi Direct	Yes		any AirPrint enabled application
		Brother Print Service Plugin ⁵	Print from an Android devices without a dedicated App
		Mopria ^{TM 5}	Print most common file types from Mopria™
Printer		Wohia	supported Android devices
Print Speed (A4)9	1-sided: 28 ppm Mono and Colour	Brother Apps ⁸	Print from Creative Center, Scan to Mobile, Scan to
Till Opeca (A4)	2-sided (duplex): 22 ppm Mono and Colour		Searchable PDF, Enlarge Text Copy, Fax Forward to
Print (A3)	Yes		Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy Scan to E-mail
Print Speed FPOT ¹⁰	4.6 seconds Colour, 4.4 seconds Mono	Web Connect®	Print from and scan to without using a PC on Box,
Quiet Mode	Mode to reduce printing noise	web connect	Dropbox, Evernote, OneDrive, Google Drive™
Resolution	Up to 1200 x 4800 dpi (Horizontal and Vertical)		OneNote
Print Languages	GDI		
Time Earliguages	QDI	Сору	
			Simplex: 25/16 ipm
Printer Functions		Copy Speed ¹¹	(Mono/Colour: based on ISO/IEC 24735)
N-up Printing ³	Reduce up to 2, 4, 9 or 16 pages into just one	Conv Speed ECOTIL	6/5sec (Colour/Mono)
Poster Printing	Enlarge a single page into a poster using 4 or 9	Copy Speed FCOT ¹¹	(based on ISO/IEC 24735 Annex D)
Poster Fillting	pages	Resolution	Print: up to 1200x4800 dpi
Watermark Printing ⁴	Watermark your documents with predefined text or		Scan: up to 600x600 dpi (horizontal x vertical) Colour
	with your own user-defined messages	Resolution (horizontal x vertical)	Mono: (Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi
ID Printing ⁴	Add identification to your printed documents (date	/ Mono	Colour: (Print) Max. 1200x4800 dpi, (Scan) Max.
	and time, short custom message or PC username)		600x600 dpi (FB)
Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print	Copier Multi Stack/Sort	Makes up to 999 copies of each page / Stacks or Sorts
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them	Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
		N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
Printer Driver Windows®	Windows® 11, Windows® 10 (32 and 64 bit editions),	2 in 1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
	Windows® 8 (32 and 64 bit editions), Windows® 7 (32 and 64 bit editions), Windows® Server 2019, 2016,	Grey Scale	258 shades of grey (8 bit for each colour)
	2012, 2012R2 and 2008R2, Windows® Server 2008	Receipt Copying	Produces clearer copies of receipts
	(32 and 64 bit editions)	Enlarge Text Copy ⁸	Makes reading copied documents easier if the size of
Mac OS	macOS 10.14.6 - 10.15, macOS 11-12	Emarge Text Copy	the text on the original document is small
Linux	CUPS, LPD/LPRng (i686 and x86_64)	Auto Deskew	ADF: Yes
		Fit to Done	FB: Yes
		Fit to Page	Yes
Paper Handling			
Paper Input ²	Standard Tray - 250 sheets	Scanner	
	Manual Feed Slot - 1 Sheet Auto Document Feeder (ADF) - 50 Sheets	Colour and Mono Scanning	Yes
Paper Output ²	100 Sheets A4, 50 Sheets A3	Scan Speed ¹²	Simplex:
			A4 portrait: 25ipm/25ipm
Envelope Printing Media Sizes	Yes from manual feed slot and standard tray Standard Tray Landscape: A4, LTR, EXE		A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm
iviedla Sizes		Coon Decelution	
		Scan Resolution	From Glass: 1/1/18/24/10/01/10/01/17/17/19/19/19/19/19
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch),	Scan Resolution	From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L	Scan Resolution	
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L	Colour and Mono Scanning	(colour)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope,		(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2), (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot -	Colour and Mono Scanning	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE	Colour and Mono Scanning Interpolated Scan Resolution	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6,	Colour and Mono Scanning Interpolated Scan Resolution	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-J (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope,	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio,	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
Media Type and Weights	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220gsm	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220gsm Manual Feed Slot - Plain, Inkjet, Glossy, Recycled 64-220gsm (260gsm with Brother BP71 glossy paper only)	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220gsm Manual Feed Slot - Plain, Inkjet, Glossy, Recycled 64-220gsm (260gsm with Brother BP71 glossy paper only) ADF - Plain and Recycled paper 64-120gsm	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
	Standard Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Manual Feed Slot - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220gsm Manual Feed Slot - Plain, Inkjet, Glossy, Recycled 64-220gsm (260gsm with Brother BP71 glossy paper only)	Colour and Mono Scanning Interpolated Scan Resolution Colour Depth	(colour) From ADF: 600x600dpi mono) / 300x600dpi (colour) Yes Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)

Coop and share desurposts via a madi a madi
Scan and share documents via e-mail server* (Contact Brother to Install)
Scan documents directly into your word processing application for instant editing
Scan into your preferred image editing software
Scan to a file on your computer
Scan documents to a nominated folder on your
network without using a Windows PC Create up to 25 preset network, FTP profiles for an
easy way to store multiple scan settings Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx)
for Microsoft Office Scan documents directly into SharePoint
(On-premise)
Scan documents to searchable PDF files Yes
Yes
res
Windows 11, Windows 10 (32&64bit), Windows 8/8.1
(32&64bit), Windows 7 (32&64bit)
macOS 10.14.6 - 10.15, macOS 11-12ł Linux Sane
Mana/aclour
Mono/colour
33,600(Super G3)
Send and Receive faxes directly from your PC Up to 150 pages (ITU-T Test Chart, Standard
Resolution, JBIG)
Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Detect line errors during fax transmission and resend
the page(s) of the document that had an error (recipient machines must share this feature for it to work)
When receiving a single page document longer than
A4 (297mm) the fax machine will automatically reduce
the message to fit onto a single A4 sheet
Send the same fax message up to 250 locations
256 shades (8 bit) of grey are available for faxing
Ability to centrally deploy and customise our drivers
and software
Modular installers that can be distributed through
On-premise Active Directory®
LAN/WAN management software
Web based print management software embedded
onto the device
Easily create print drivers for hassle free deployment over your network
,
Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC
10Base-T/100Base-TX
APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS,
SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,
lpsec
lpsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode)
Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS),
Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Print wirelessly without having to go through a wireless access point (both automatic and manual
Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Print wirelessly without having to go through a

Wireless Applications	Vertical Pairing
IPv4	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server
IPv6	NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
Supplies	
Inbox (pages)	BK: 550, C: 550, M: 550, Y: 550
Standard-Yield Cartridges (pages)	
Standard-Freid Gartridges (pages)	LC-432BK: 550, LC-432C: 550, LC-432M: 550, LC-432Y: 550
High-Yield Cartridges (pages)	
3 4 3 7	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500,
High-Yield Cartridges (pages)	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500,
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions (without carton) Recommended Monthly	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions (without carton) Recommended Monthly Print Volume Recommended Monthly Print	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500 575 W x 477 D x 305mm H - 19.6kg
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions (without carton) Recommended Monthly Print Volume Recommended Monthly Print Volume ⁶	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500 575 W x 477 D x 305mm H - 19.6kg
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions (without carton) Recommended Monthly Print Volume Recommended Monthly Print Volume ⁶ Environment	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500 575 W x 477 D x 305mm H - 19.6kg
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions (without carton) Recommended Monthly Print Volume Recommended Monthly Print Volume ⁶ Environment Power Source	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500 575 W x 477 D x 305mm H - 19.6kg 250 to 2,500 pages AC 220-240V 50/60Hz Copying: 25W, Ready: 5.0W,
High-Yield Cartridges (pages) Dimensions and Weight Product Dimensions (without carton) Recommended Monthly Print Volume Recommended Monthly Print Volume ⁶ Environment Power Source Power Consumption	LC-432M: 550, LC-432Y: 550 LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500 575 W x 477 D x 305mm H - 19.6kg 250 to 2,500 pages AC 220-240V 50/60Hz Copying: 25W, Ready: 5.0W, Sleep: 0.9W, Off: 0.03W

- Approx. declared yield value in accordance with ISO/IEC 24711 Capacity calculated with 80g/m² paper Windows and macOS only Windows only

- 5 6
- windows only
 Optional download
 Maximum number of printed pages per month can be used to compare designed durability between like Brother products
 Requires Brother Software

- Must be web connected
 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- FPOT (First Print Out Time) based on ISO/IEC 17629 Copy Speeds ESAT based on ISO/IEC 24735 Scan Speeds based on ISO/IEC 17991 10

For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

