



Work smarter and faster

Professional A3 Inkjet Multi Function

MFC-J5740DW











PRINT

COPY

SCAN

FAX

WIRELES

Ideal choice for business

Work smarter and faster with the Brother MFC-J5740DW - the Multi-Function Inkjet that's made for business. By combining the fastest in class first page out time of 4.4secs¹⁰, print speeds of up to 28ppm and single pass A4 2-sided (duplex) scanning, it provides a fast, smooth, consistent user experience that delivers professional quality colour documents. Designed for modern hybrid workplaces, with scan features including A4 scan to email8, cloud storage8 and Optical Character Recognition (OCR), it also provides dual paper travs which handle paper sizes A5 through to A3. The MFC-J5740DW is perfect for the digitisation and printing needs of every business.

MFC-J5740DW



Key features:

Brother Mobile Connect







- Up to 28 ppm print speed⁹
- Automatic 2-sided (duplex) A4 print, scan, copy and fax
- 8.8cm colour touchscreen
- Wired and wireless connectivity
- 2 x 250 paper trays up to A3²
- 100 sheet multi-purpose tray up to A32
- 50 sheet 2-sided (duplex) A4 Automatic Document Feeder (ADF)²
- High-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Made for business

Introducing the new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4secs¹⁰, print speeds of up to 28 ppm and single pass A4 2-sided (duplex) scanning. Combined with dual paper trays, which support up to A3, it provides a fast, smooth and consistent user experience that every business needs



Large page yields and low-cost printing

When it's time to replace your ink supply, keep running costs low with high-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - a visual, numerical way to know the amount of ink you've used and the amount of ink you have remaining



Brother at your side support

Free support for the lifetime of your Brother device



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device so printing, scanning and managing documents on your smartphone is at your fingertips



Intuitive one-touch cloud connect

Print-from and scan-to popular cloud apps8 directly including Dropbox, Google Drive™, OneDrive and more. Help save time by creating custom shortcuts directly on the 8.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options tailored to your home or small office with dual band (2.4Ghz/5Ghz) Wireless Network support, Ethernet, WiFi Direct or connect locally to a single computer via USB interface



General	Indiat	Mobile and Web Connectivity	
Technology	Inkjet	Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
Memory	256MB	(Android)	faxes, preview copies and check the machine status
LCD/Type & Size	8.8cm Colour Touchscreen LCD	(area ore)	from an Android device
Lost Interface	Hi-Speed USB 2.0	Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
Wired Network	Fast Ethernet	(iPad / iPhone)	faxes, preview copies and check the machine status
Wireless Network	Dual Band 2.4Ghz and 5Ghz	Apple AirDript	from an iPad / iPhone
Printer		Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application
Print Speed (A4) ⁹	1-sided: 28ipm Mono and Colour 2-sided (duplex): 22ipm Mono and Colour	Brother Print Service Plugin ⁵	Print from an Android devices without a dedicated App.
Print (A3)	Yes	Mopria ^{™ 5}	Print most common file types from Mopria™
Print Speed FPOT ¹⁰	4.6 seconds Colour, 4.4sec Mono		supported Android devices
Quiet Mode	Mode to reduce printing noise	Brother Apps ⁸	Print Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to
Resolution	up to 1200 x 4800 dpi (Horizontal and Vertical)		Cloud/E-mail, Scan to PowerPoint, Scan to Excel,
Print Languages	GDI		Scan to Word, Easy Scan to E-mail
		Web Connect ⁸	Print from and scan to without using a PC on Box,
Printer Functions			Dropbox, Evernote, OneDrive, Google Drive™ OneNote
N-up Printing ³	Reduce up to 2, 4, 9 or 16 pages into just one	0	Orienote
Poster Printing	Enlarge a single page into a poster using 4 or 9 pages	Сору	Mono: 25.0ipm
Watermark Printing ⁴	Watermark your documents with predefined text or	Copy Speed ¹¹	Colour: 24.0ipm
rvatornant i finting	with your own user-defined messages	Copy Speed FCOT ¹¹	Mono: 9.5 seconds
ID Printing ⁴	Add identification to your printed documents (date	оору ореец гоот	Colour: 10.0 seconds
Booklet Printing ⁴	and time, short custom message or PC username) Print documents in A5 booklet format using automatic	Resolution	Print: up to 1200x4800 dpi Scan: up to 600x600 dpi (horizontal x vertical) Colou
3	or manual 2-sided (duplex) print	Resolution (horizontal x vertical)	Print: Max. 1200x4800 dpi
Print Profiles ³	Store your favourite driver settings as profiles to easily	/ Mono	Scan: Max. 600x600dpi (FB/ADF)
	recall them	Auto Duplex Copy	Yes
Printer Driver		Remote CopMulti-Copying / Stack	Makes up to 999 copies of each page / Stacks or Sorts
Windows [®]	Windows® 11, Windows® 10 (32 and 64 bit editions), Windows® 8 (32 and 64 bit editions), Windows® 7 (32	/ Sorty Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
	and 64 bit editions), Windows® Server 2019, 2016, 2012, 2012R2 and 2008R2, Windows® Server 2008 (32 and 64 bit editions)	N in 1 Copying	Allows the user to compress 2 or 4 pages on to a
Mac OS	10.14.6/10.15.x/11		single A4 sheet
Linux	CUPS, LPD/LPRng (i686 and x86_64)	2 in 1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Initial time of internal clock	2022/1/1	Grey Scale	257 shades of grey (8 bit for each colour)
ChromeOS		Receipt Copying	Produces clearer copies of receipts
	Supports native ChromeOS printing	Enlarge Text Copy ⁸	Makes reading copied documents easier if the size of
Paper Handling Paper Input ²	Standard Tray - 250 sheets		the text on the original document is small ADF: Yes
т арет пірис	Lower Tray - 250 sheets	Auto Deskew	FB: Yes
	Multi Purpose Tray - 100 sheets	Fit to Page	Yes
	Auto Document Feeder (ADF) - 50 Sheets	Copy EnhancementBook Copy	Yes
Paper Output ²	100 Sheets A4	(Shadow Correction & Skew	
Envelope Printing	Yes from manual feed slot and standard tray	Adjustment for book)	
Media Sizes	Standard Tray - A4, LTR, EXE, A3, LGR, LGL, Folio, A5, A6, Photo (10 x 15cm), Indexcard (13 x 20cm),	Copy Enhancement/Remove Background Colour	Yes
	Photo-L (9 x 13cm), Photo-2L (13 x 18cm), Com-10,	Scanner	
	DL Envelope, Monarch, C5, Mexico Legal, India Legal Lower Trays - A4, LTR, A3, LGR, LGL, Folio, Mexico	Scanner Type	Dual CIS (Contact Image Sensor)
	Legal, India Legal	Colour and Mono Scanning	Yes
	Multi Purpose Tray - A4, LTR, EXE, A3, LGR, LGL, Folio, A5, A6, Photo (10 x 15cm), Indexcard (13 x	Scan Speed (A4) ¹²	1-Sided: 25ipm Mono and Colour
	20cm), Photo-L (9 x 13cm), Photo-2L (13 x 18cm),	Scan Resolution from ADF	2-Sided: 30ipm Mono and Colour Yes
	Com-10, DL Envelope, Monarch, C5, Mexico Legal, India Legal, Long paper (max length: 1200mm)		
	Width: 105mm to 215.9mm	Copy Enhancement/Remove Background Colour	Yes
	Length: 148mm to 355.6mm Scanner Glass - Width: up to 215.9	Scanner Type	Dual CIS (Contact Image Sensor)
	Length: up to 297mm	Colour and Mono Scanning	Yes
	Auto 2-Sided (duplex) Print - A4, LTR, A3, LGR, LGL, Folio, Mexico Legal, India Legal, EXE, A6	Scan Speed (A4) ¹²	1-Sided: 25ipm Mono and Colour 2-Sided: 30ipm Mono and Colour
Media Type and Weights	Standard Tray - Plain, Inkjet, Glossy, Recycled	Scan Resolution from ADF	600 x 600dpi
	64-220g/m3	Scan Resolution from Scanner	Mono: 1200x2400dpi
	Lower Trays - Plain, Recycled 64-120g/m3 Multi Purpose Tray - Plain, Inkjet, Glossy, Recycled	Glass	Colour: 1200x1200dpi
	64-220g/m2 (260g/m2 with Brother BP71 glossy	Interpolated Scan Resolution	Up to 19200 x 19200dpi
	paper only) ADF - Plain and Recycled paper 64-120g/m3	Colour Depth	48 bit colour Processing (Input) 24 bit colour Processing (Output)
	Auto 2-Sided (duplex) Print - Plain, Recycled	Grey Scale	16 bit colour Processing (Output)
	64-120g/m3	,	1 001001 1 1000001119 (111par)

Scanner Functions	1	
Scan to/E-mail Server	Scan and share documents via e-mail server*	
	(Contact Brother to Install)	
Scan to OCR	Scan documents directly into your word processing application for instant editing	
Scan to Image	Scan into your preffered image editing software	
Scan to File	Scan to a file on your computer	
Scan to Network	Scan documents to a nominated folder on your	
Scan Profile ³	network without using a Windows PC Create up to 25 preset network, FTP profiles for an	
	easy way to store multiple scan settings	
Scan To Microsoft Office	Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office	
Scan to SharePoint ⁴	Scan documents directly into SharePoint (On-premise)	
Scan to Searchable PDF ⁷	Scan documents to searchable PDF files	
Auto Deskew ³	Yes	
Base Colour Removal ³	Yes	
Linux⁵	SANE (32 and 64 bit editions)	
Scanner Drivers		
Windows®	TWAIN and WIA, Windows® 11, Windows® 10 (32	
	and 64 bit editions), Windows 11, Windows 16 (32 and 64 bit editions), Windows 7 (32 and 64 bit editions), Windows 7 (32 and 64 bit editions), Windows Server 2008 R2/2012/2012 R2/2016/2019 (64 bit editions)	
FAX colour Type	Mono/colour	
Fax Modem		
	33,600(Super G3)	
PC-Fax Send ^{3&8} and Receive ^{4&8}	Send and Receive faxes directly from your PC	
Memory Transmission	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)	
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)	
Error Correction Mode (ECM)	Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)	
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet	
Broadcasting	Send the same fax message up to 250 locations	
Grey Scale	257 shades (8 bit) of grey are available for faxing	
Fleet Management		
Unattended Installer ⁴	Ability to centrally deploy and customise our drivers	
MSI Installer ⁴	and software Modular installers that can be distributed through	
BRAdmin ^{4&5}	On-premise Active Directory® LAN/WAN management	
	software	
Embedded Web Server	Web based print management software embedded onto the device	
Driver Deployment Wizard ⁴⁸⁵	Easily create print drivers for hassle free deployment over your network	
Software		
Brother iPrint&Scan Desktop 385	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC	
Software		
Brother iPrint&Scan Desktop 385	Print from, scan to, send faxes, preview received	
	faxes, preview copies and check the machine status from Windows or macOS PC	
Security and Network	100 74000 77	
Wired Network	10Base-T/100Base-TX	
Wired Network Security	APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec	
Wireless Network	2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)	
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec	

Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server
IPv6	NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
Setting Lock	Yes (B&W only/not colour)
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
Supplies	
Inbox (pages)	BK: 550, C: 550, M: 550, Y: 550
Standard-Yield Cartridges (pages)	LC-432BK: 550, LC-432C: 550, LC-432M: 550, LC-432Y: 550
High-Yield Cartridges (pages)	LC-432BK XL: 3000, LC-432C XL: 1500, LC-432M XL: 1500, LC-432Y XL: 1500
Dimensions and Weight	
Product Dimensions	530 W x 398 D x 374mm H - 20.6kg
Recommended Monthly Print Volume	
Recommended Monthly Print Volume ⁶	250 to 2,500 pages
Environment	
Power Source	AC 220-240V 50/60Hz
Power Consumption	Copying: Approx. 30W, Ready: Approx. 6.5W, Sleep: Approx. 1.6W, Power Off: Approx 0.04W
Sound Pressure Level (Operating)	50dB(A) (Approx.)
Ink Save Mode	This reduces the ink usage and helps to reduce the total cost of printer ownership

- Approx. declared yield value in accordance with ISO/IEC 24711 Capacity calculated with 80g/m² paper Windows and macOS only

- Windows and mack Windows only Optional download 4 5 6
- Maximum number of printed pages per month can be used to compare designed durability between like Brother products

- Neween line Judies products
 Requires Brother Software
 Must be web connected
 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
 FPOT (First Print Out Time) based on ISO/IEC 17629
 Copy Speeds ESAT based on ISO/IEC 24735
 Scan Speeds based on ISO/IEC 17991 9

For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

