HOME > PRODUCTS > SCANNERS > WORKFORCE DS-1630

Epson WorkForce DS-1630



Document Scanners

The affordable, versatile flatbed scanner with ADF for more productivity

Printer Friendly Specs



Where to Buy

(A) ENLARGE IMAGE

Overview

The Epson WorkForce DS-1630 is an A4 business scanner that delivers high quality document scanning. Ideal for small to medium businesses as well as SOHO users who require fast document scanning speeds at an affordable price.

KEY FEATURES & BENEFITS

Versatile scanning from a leader in image capturing technology – auto-duplex scanning through the Auto Document Feeder (ADF), plus a flatbed for photo IDs, passports, fragile items and more

Scan stacks of documents up to 25ppm¹ – the Auto Document Feeder (ADF) has a large 50-page capacity

Seamless compatibility with document management systems - includes TWAIN and ISIS® drivers for easy integration with existing software

 $Scan \ to \ online \ storage \ accounts^2 - intuitively \ scan \ to \ Dropbox^{\intercal M}, \ SharePoint^{\circledast}, \ Evernote^{\circledast}, \ FileBound, \ Google \ Drive^{\intercal M} \ and \ more$

Streamline your workflow – easy, one-touch scanning to folders, email, on-line storage accounts² and more

Scan originals in a variety of sizes – up to 215.9mm x 297.1 on the flatbed and up to 215.9mmm x 355.6mm using the ADF

Generate searchable and editable files - scan to editable Word and Excel® files3 or searchable PDF files; OCR software included

Intelligent colour and image adjustments – auto crop, skew correction, blank page and background removal with Epson Image Processing Technology

Automatic Document Feeder

High on the list of the Epson DS-1630's professional document management features is the built-in Automatic Document Feeder (ADF). With a 50-page capacity and the ability to manage paper sizes including A6, A5, B5, Letter, A4 and Legal, the ADF delivers automatic feeding and scanning functionality at speeds of up to 25 pages per minute*.

When used in conjunction with the wide range of document management, conversion and manipulation tools included with Epson Scan 3.4 Software, the DS-1630's ADF affords business users with a comprehensive document management solution.

* Monochrome, 300dpi, A4

Optional Network Adaptor

One single unit can be connected to a network so the unit can be shared by multiple users. The Optional Network Adaptor connects to the scanner and features an RJ-45 Ethernet port for interfacing with the network. From here, the scanner can send scans directly to any computer connected to the same network



Manage critical documents

Scan to email, an FTP server or any folder on your PC. The WorkForce DS-1630 supports ISIS and TWAIN drivers. And, it includes OCR software for creating searchable PDF's³ or scanning directly to Word and Excel files.



Document Capture Pro

Bundled software includes Document Capture Pro. This industry benchmark software handles a variety of scanning jobs with no hassle, including batch separation, editing and data transfer. It offers many "scan-to" options, such as "scan-to Email", "scan to print" and "scan to cloud". It's versatile functions expand data usability and online document workflow.




Document Image Adjustment Tools

Among the numerous features built-in to the Epson Scan 2 Software is a range of document image adjustment tools, each of which has been designed to address a specific issue that typically detracts from scanned document readability. These tools include:

Text Enhancement: This feature delivers greater definition of text characters and removes the document's background, thereby eliminating the problem of "see through" that often occurs when scanning double-sided documents. Importantly, this tool helps to improve the accuracy of text recognition software.

Colour Enhancement: A flexible tool that enables selected colours to be enhanced during the scanning process. This is of particular value when a document contains colour or very light (as in a fax) text that might otherwise not be "picked up" by the scanner during text scanning.

Dropout Colour: Similar in operation to Colour Enhancement, Dropout Colour allows users to specify a colour that is ignored during the document scanning process.



Specification

| son WorkForce DS-1630 | B11B239501 | |
|---|---|--|
| SCANNER TYPE | Sheetfed & Flatbed A4 colour image scanner | |
| OPTICAL RESOLUTION | Flatbed: 1,200 x 1,200 dpi ADF: 600 x 600 dpi | |
| SENSOR TYPE | Contact Image Sensor (CIS) | |
| LIGHT SOURCE | 3 Colour RGB LED | |
| MAXIMUM EFFECTIVE SCAN AREA | | |
| SIZE | Flatbed: 216 x 297mm (8.5 x 11.7 inches) ADF: 216 x 356mm (8.5 x 14.0 inches) | |
| GRAYSCALE | 8-bit external 8-bit internal | |
| COLOUR | 24-bit external 30-bit internal | |
| INTERFACE | USB 3.0++ Optional Network Interface Unit (RJ-45, 10BaseT/100BaseTX) | |
| ++The functionality of the USB port(s) must | be ensured by the vendor of the Host. | |
| JSAGE | | |
| DAILY DUTY CYCLE | 1,500 sheets | |
| BUTTONS | Power, Scan, Stop | |
| CANNING SPEED* | | |
| MONOCHROME COLOUR | A4 300dpi (PDF) 25ppm A4 300dpi (PDF) 10ipm | |
| *Scanning speed test results vary according t | o system configuration, dpi setting, and scan mode setting. | |
| ADF | | |
| TYPE | Sheet through, Simplex scanning | |
| PAPER SUPPLY | Paper Supply: Face up load Paper Out: Face down eject | |
| DOCUMENT SIZE | A4, Letter, Legal, B5, A5, A6 Max. size: 216 x 356 mm Min. size: 105 x 148.5 mm | |
| PAPER SETTING CAPACITY | 50 pages (75g/m²) | |
| PAPER WEIGHT | 50-120g/m ² | |
| UNCTIONS | - | |
| EASY DOCUMENT SCANNING | Double sided scanning of PDF Searchable PDF (Windows only) Scan to Mutil PDF Encrypted pdf Compression pdf Stand-Alone Application and Scan to File Feature Multi Purpose User Interface Auto Skew Correction Multi Marquee | |
| DOCUMENT IMAGE ADJUSTMENT | Text enhancement Colour enhancement Dropout colour Unsharp Mask De-Screening with Document Type Optimiser Tone Curve Adjustment with Histogram | |
| | | |
| SUPPORTED PLATFORMS | | |

 $^{^{}f 1}$ Based on letter-sized scans at 300 dpi in Black-and-White, Grayscale or Colour Mode.

 $^{^{2}}$ With Epson Document Capture software installed on the connected Windows PC or Mac^{\circledR} .

| TEMPERATURE | 10°C to 35°C (Operating) | |
|-------------------------------------|---|--|
| TELL ELOCIONE | -25°C to 60°C (Storage) | |
| HUMIDITY | 20% to 80% without condensation (Operating) | |
| | 20% to 85% without condensation (Storage) | |
| LECTRICAL SPECIFICATIONS | | |
| RATED VOLTAGE | AC100-240V 50-60Hz | |
| POWER CONSUMPTION | Approx. 11W (Operating) | |
| | Approx. 0.8W (Sleep Mode) | |
| | Approx. 5.8W (Ready Mode) | |
| | Approx. 1.5W (Power Off) | |
| UNDLED SOFTWARE* | | |
| Epson Scan2 | | |
| Online User Guide | | |
| ISIS driver for Windows** | | |
| /ARRANTY | | |
| 12 months return to base | Standard | |
| Optional Additional 2 Year Warranty | 3YWDS1630 | |
| Epson Warranty | | |
| IMENSIONS | | |
| WIDTH | 450mm | |
| DEPTH | 318mm | |
| HEIGHT | 121mm | |
| WEIGHT | Approx. 6kg | |

Epson is the registered trademark of Seiko Epson Corporation. Epson trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice.

Usage Conditions

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

This printer is designed to function only with genuine Epson ink cartridges and not with third party ink cartridges. The printer may not function properly or at all if you use third party ink cartridges.

Consumables

| ACCESSORIES & OPTIONS | PRODUCT CODE | |
|-----------------------|--------------|--|
| Network Adaptor | B12B808461 | |

Epson is the registered trademark of Seiko Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are imulations. Specifications are subject to change without notice.