

Epson Expression ET-2710



(+) ENLARGE IMAGE

EcoTank 4 Colour Multifunction Printers

Print | Copy | Scan | Wi-Fi®

Product Support Videos

Printer Friendly Specs

Where to Buy

Overview





The Expression ET-2710 is a wireless all-in-one with an integrated ink system, ideal for busy homes looking to cut their printing costs. Thanks to the integrated high-capacity ink tanks, ink is supplied continuously to the printer, so there are no cartridges to replace; you simply top up the tanks with Epson ink bottles and keep on printing.

KEY FEATURES AND BENEFITS

Cartridge-free printing – comes with up to 2 years of ink in the $\mbox{\rm box}^3$

 $Includes \ enough \ ink \ to \ print \ up \ to \ 3,600 \ pages \ black/6,500 \ colour^1-equivalent \ to \ about \ 139 \ individual \ cartridges^2$

Wireless – easily print from tablets and smartphones⁴

User-friendly control panel – with intuitive buttons for fast, easy navigation $% \left(1\right) =\left(1\right) \left(1\right) \left($

Exclusive auto-stop ink bottles – uniquely keyed for easy filling of each colour

Borderless photo printing – easily print and share 4" x 6" photos

100-sheet paper capacity – print stacks of pages without interruption

PRINTING FREEDOM

For one upfront price, the Epson EcoTank ET-2710 printer comes with enough ink in the box to print for up to 2 years³, so you can print 3,600 pages in black¹ and 6500 pages in colour¹ without worrying about ongoing ink replacement and costs.





HIGH-VOLUME INK BOTTLES

Additional low-cost ink can be bought in convenient high-volume bottles that have a drip-free nozzle and resealable cap for easy storage and refilling. Replacement bottles hold enough ink for a massive 4,500 pages in $black^1$ and 7,500 pages in $colour^1$.

NEVER CHANGE AN INK CARTRIDGE AGAIN
The Expression ET-2710 features a revolutionary, integrated high-capacity ink tank system, offering an unbeatable combination of convenience and value.

In 3 easy steps users get printing freedom. All you have to do is fill or refill the tanks, set up your printer and then print without concern, week after week, month after month.



EVERYDAY PERFORMANCE Simple wireless connectivity

The Expression ET-2710 supports the latest wireless standard, 802.11n4, providing users with greater coverage and faster speeds. With EPSON Wireless setup, you can easily connect to your wireless network. You can use your EcoTank printer from anywhere in your home and share it with multiple PCs.



Productivity anytime, anywhere 5

Users can easily print from their tablet or smartphone using Epson Connect™ solutions. Supports Android™6, Apple, iPad and iPhone, Chromebook™, Fire™-OS, Mac®, and $Windows ^{\circledR} \ devices. \ Wirelessly \ print \ a \ range \ of \ documents, \ reports, \ assignments, \ recipes \ and \ so \ much \ more \ whether \ at \ home \ or \ on \ the \ go.$



EASY

Easy to use

The Expression ET-2710 is ideal for everyday projects with quick setup. It boasts user friendly control panel buttons making printing of documents, reports, assignments and recipes so much easier for the family whether at home or on the go.

Scan and copy, PC-free Get high-quality colour or black-and-white copies in a snap.



REGISTRATION OFFER

The Epson EcoTank range is backed by a 2 year Return-to-Base warranty (1 year standard and a bonus 1 year upon registration). Users can receive an additional 1 year bonus warranty when they register online⁷ within 30 days of purchase at

Specification

¹ Yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing.

² Individual cartridges estimate based on print yields of replacement black and colour ink bottles as comapred to Epson standard-capacity ink cartridges for similarly featured printers as of August 2019.

 $^{^{3}}$ 2 Years of ink is based on average monthly print volumes of about 150 pages.

 $^{^{4}}$ Wi-Fi CERTIFIED $^{\mbox{\tiny{IM}}}$, level of performance subject to the range of the router being used.

⁵ Most features require an Internet connection to the printer, as well as an Internet and/or email-enabled device. See <u>www.epson.com.au/connect.</u> for a list of Epson Connect enabled printers and compatible devices and Apps.

 $^{^{\}rm 6}$ Android is a trademark of Google Inc.

⁷ 12 months of standard Return to Base warranty. For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 30 days of purchase.

Expression ET-2710	C11CG86508
•	
PRINTING METHOD	On-demand Inkjet (piezoelectric)
NOZZLE CONFIGURATION	180 nozzles Black, 59 nozzles each colour (Cyan, Yellow, Magenta)
MINIMUM INK DROPLET VOLUME	3 Picolitres
WHAT'S IN THE BOX	- Expression ET-2710 EcoTank™ All-in-One Printer
	- Setup guide
	- CD-ROM for product setup - Power cord
	- Power Cord - USB cable not included (Optional extra)
	- Initial ink bottles: 1 x 522 Black, 1 x 522 Cyan, 1 x 522 Magenta, 1 x 522 Yellow
RESOLUTION	
	5760 x 1440 optimised dpi with (with Variable Sized Droplet Technology)
PRINT SPEED	
BLACK TEXT (NORMAL) A4	10.0 ISO ppm ¹
COLOUR TEXT (NORMAL) A4	
· ,	5.0 ISO ppm ¹
Max Photo Default - (10x15cm)/4" x 6" *	Approx. 90 sec per photo ² * When printed on Premium Glossy Photo Paper
(2323), 2	When printed on Fremium Glossy Photo Paper
PAPER HANDLING	
PAPER SIZES	A4, A5, A6, B5, 10x15cm(4x6in), 13x18cm(5x7in), 9x13cm(3.5x5in), Letter(8 1/2x11in), Legal(1/2x14in), Half Letter(5 1/2x8 1/2in), 13x20cm(5x8in), 20x25cm(8x10in), 16:9 wide size,
	100x148mm
	Envelopes: #10(4 1/8x9 1/2in), DL(110x220mm), C6(114x162mm)
PAPER HOLD CAPACITY	100 sheets rear feed, A4 Plain paper (80g/m ²), 20 sheets - Premium Glossy Photo Paper
Scanner	
CCANINITALO	
SCANNED TYPE	AA Flakkad aslam issaas assaas
SCANNER TYPE	A4 Flatbed colour image scanner
SENSOR TYPE	CIS
DOCUMENT SIZE	Up to A4
SCANNING RESOLUTION	1200 x 2400 dpi
MONO SCAN SPEED	A4 1200dpi 8.8msec/line
COLOUR SCAN SPEED	A4 1200dpi 28.5msec/line
Copy Function	
COPY SPEED	
COPY SPEED BLACK TEXT MEMO (A4)	1
· '	7.7 ISO ipm ¹
	3.8 ISO ipm ¹
COPY SPEED COLOUR TEXT MEMO (A4)	3.0 150 lpm
COPY SPEED COLOUR TEXT MEMO (A4)	5.0 ISO (pin
COPY SPEED COLOUR TEXT MEMO (A4) General	3.0 130 ipin
General	5.0 ESC (pin)
General DEFRATING SYSTEMS	
General	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x
General DEFRATING SYSTEMS	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712)
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode)
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION	Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712)
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification.
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register online at www.epson.com.au/registrations within 30 days of purchase.
General PPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS WARRANTY	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register online at www.epson.com.au/registrations within 30 days of purchase. Epson Warranty
General DPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register online at www.epson.com.au/registrations within 30 days of purchase.
General PPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS WARRANTY	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register online at www.epson.com.au/registrations within 30 days of purchase. Epson Warranty
General PPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS WARRANTY	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register online at www.epson.com.au/registrations within 30 days of purchase. Epson Warranty. 375 x 347 x 179mm
General PPERATING SYSTEMS PRINTER DRIVERS* * Drivers if available are downloadable from Tech Epson ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION ENTERFACES CONNECTIVITY NETWORKING ³ MOBILE DEVICE PRINTING ⁴ LCD SCREEN CARD SLOTS WARRANTY PRODUCT DIMENSIONS WEIGHT	Windows® XP/XP Professional x64 Edition/Vista/7/8/8.1/10 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x, 10.12.x, 10.13.x AC 100 ~ 240V 50 ~ 60Hz Approx. 11W (ISO/IEC 24712) Approx. 1.4W (Sleep Mode) High Speed USB — Compatible with the USB 2.0 Specification. 802.11b/g/n Wi-Fi, WiFi Direct® Epson Connect: Epson Email Print, Epson iPrint No No 12 months return to base Standard 24 months return to base warranty. For an additional 12 months (total of 24 months), register online at www.epson.com.au/registrations within 30 days of purchase. Epson Warranty. 375 x 347 x 179mm

- ¹ Black and colour print/copy speeds are measured in accordance with ISO/IEC 24734 and 29183. Actual print times will vary based on system configuration, software, and page complexity. Click here for details on ISO testing.
- ² 10x15cm photo print speed when printed on Epson Premium Glossy Photo Paper borderless in default mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer
- 3 Wi-Fi CERTIFIED $^{\mathrm{TM}}$, level of performance subject to the range of the router being used.
- ⁴ Most features require an Internet connection to the printer, as well as an Internet and/or email-enabled device. See www.epson.com.au/connect for a list of Epson Connect enabled printers and compatible devices and Apps.
- ⁵ Yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colour's' are used for printing and printer maintenance, and all colour's must be available for printing.

Usage Conditions

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

Consumables

GENUINE Epson PAPERS	PRODUCT CODE
4" x 6" Photo Paper Glossy - 100 Sheets (200gsm)	S042548
4" x 6" Photo Paper Glossy - 20 Sheets (200gsm)	S042546
4" x 6" Photo Paper Glossy - 50 Sheets (200gsm)	S042547
4" x 6" Photo Paper Glossy - 500 Sheets - 200gsm	S042549
4" x 6" Premium Glossy Photo Paper - 20 Sheets (255gsm)	S041706
4" x 6" Premium Glossy Photo Paper - 50 Sheets (255gsm)	S041729
4" x 6" Ultra Glossy Photo Paper - 50 Sheets (300gsm)	S041943
5" x 7" Photo Paper Glossy - 20 Sheets (200gsm)	S042544
5" x 7" Photo Paper Glossy - 50 Sheets (200gsm)	S042545
5" x 7" Premium Glossy Photo Paper - 20 Sheets (255gsm)	S041464
A4 Matte Paper Heavy Weight - 50 Sheets (167gsm)	S041256
A4 Photo Paper Glossy - 20 Sheets (200gsm)	S042538
A4 Photo Paper Glossy - 50 Sheets (200gsm)	S042539
A4 Photo Quality Inkjet Paper - 100 Sheets (102gsm)	S041061
A4 Ultra Glossy Photo Paper - 15 Sheets (300gsm)	S041927
Epson Photo Paper 250gsm Premium Semigloss A4 Sheets (20pcs)	S041332
Epson Photo Paper 255gsm Premium Gloss A4 Sheet Media (20pcs)	S041287
NK CARTRIDGES	PRODUCT CODE
T522 - EcoTank - Black Ink Bottle	T00M192
T522 - EcoTank - Cyan Ink Bottle	T00M292
T522 - EcoTank - Ink Set	T522_Set
T522 - EcoTank - Magenta Ink Bottle	T00M392
T522 - EcoTank - Yellow Ink Bottle	T00M492
ACCESSORIES & OPTIONS	PRODUCT CODE
USB 2.0 Cable Type A to B - 2m	USB2M31645
USB 2.0 Cable Type A to B - 5m	USB5M31647

Epson is the registered trademark of Seiko Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are imulations. Specifications are subject to change without notice.