

# Epson EcoTank ET-2810



**EcoTank 4 Colour Multifunction Printers** 

Print | Copy | Scan | Wi-Fi<sup>®</sup>

Printer Friendly Specs

**Q** Where to Buy

🕂 ENLARGE IMAGE

# **Overview**



The Epson EcoTank ET-2810 wireless all-in-one printer offers cartridge-free printing with easy-to-fill, supersized ink tanks. Each replacement ink bottle set includes enough ink to print up to 4,500 pages<sup>1</sup> – equivalent to about 203 individual cartridges<sup>2</sup>, that means less waste. Exclusive uniquely keyed EcoTank bottles make it easy to fill each colour tank. This premium printer also offers convenient wireless printing from tablets and smartphones<sup>3</sup>, plus a 2-year Return to Base Warranty with registration<sup>4</sup>.

#### KEY FEATURES AND BENEFITS

Cartridge-Free Printing – integrated high capacity ink tank system Includes Enough Ink to Print up to 3,600 pages black / 6,500 colour<sup>1</sup> – equivalent to about 174 individual cartridges<sup>2</sup> Wireless – easily print from tablets and smartphones<sup>3</sup> User-Friendly Control Panel – with intuitive buttons for fast, easy navigation Exclusive Auto-Stop Ink Bottles – uniquely keyed for easy filling of each colour Borderless Photo Printing – easily print and share 4" x 6" photos 100-Sheet Paper Capacity – print stacks of pages without interruption Bonus Warranty – 2-year Return to Base Warranty with registration<sup>4</sup>

#### OUR IDEAL FAMILY ECOTANK PRINTER PRINTING FREEDOM

With an integrated high capacity ink tank system, the Epson EcoTank ET-2810 comes with enough ink in the box to print up to 3,600 pages in black / 6,500 pages in colour<sup>1</sup> without worrying about ongoing ink replacement and costs.



#### HIGH-VOLUME INK BOTTLES

Additional low-cost ink can be bought in convenient high-volume bottles that have a drip-free nozzle and resealable cap for easy storage and refilling. We have redesigned our ink bottles to incorporate a unique key system. Each bottle is keyed so that it only fits into the corresponding ink tank on the printer, thus preventing mis-filling or spillage. Replacement bottles hold enough ink for a massive 4,500 pages in black / 7,500 pages in colour<sup>1</sup>.



#### POWERED BY HEAT-FREE TECHNOLOGY



The Epson EcoTank ET-2810 is powered by Epson Micro Piezo with Heat-Free Technology. Micro Piezo technology utilises piezo crystals that pulse when electrical signals are sent to them by the printer. It produces incredibly consistent droplets, both in shape and size, to deliver clear and sharp prints.

# HEAT+FREE

#### EPSON SMART-PANEL

An innovative interface, the Epson Smart Panel app<sup>5</sup> transforms your iOS<sup>®</sup> or Android<sup>™</sup> mobile device<sup>6</sup> into an intuitive control center for your Epson EcoTank ET-2810. This powerful tool makes it easy to set up, monitor, print, scan and more using your Epson printer, right from your hand-held device. With quick-configuration features, it offers easy product setup on your wireless network and automatically detects your printer. Customize the app to your own preferences and requirements.



#### SIMPLE NAVIGATION

Navigating the printer is simple with the user-friendly control panel buttons. Making printing of documents, reports, invoices and presentations easy at just the touch of a button.



### CONNECTIVITY


Simple wireless connectivity

The Epson EcoTank ET-2810 supports the latest wireless standard, 802.11 b/g/n<sup>7</sup> and includes Wi-Fi Direct<sup>®</sup>. Which means no router is required, providing users with greater coverage and faster speeds. You can use your EcoTank printer from anywhere in your home and share it with multiple PCs.



### WARRANTY

The Epson EcoTank range is backed by a 2-year Return-to-Base warranty (1-year standard and a bonus 1-year upon registration)<sup>4</sup>.



Yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity.
Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing.
Individual cartridges estimate based on print yields of replacement black and colour ink bottles as compared to Epson standard-capacity ink cartridges for similarly featured printers as of August 2021.

<sup>3</sup> Most features require an Internet connection to the printer, as well as an Internet and/or email-enabled device. See <u>www.epson.com.au/connect</u> for a list of Epson Connect enabled printers and compatible devices and Apps.

<sup>4</sup> 12 months of standard Return to Base warranty. For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).

 ${\bf ^5}$  Requires Epson Smart Panel app download. Data usage fees may apply.

<sup>6</sup> Compatible mobile device operating systems — for iOS: 11.0 or later; for iPadOS<sup>®</sup>: OS 13.1 or later; for Android: 5.0 or later.

<sup>7</sup> Wi-Fi CERTIFIED<sup>™</sup>, level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

## Specification

Printer	
PRINTER TYPE	
PRODUCT CODE	C11CJ67501
PRINTING TECHNOLOGY	4-Colour (CMYK), drop-on demand MicroPiezo $^{\textcircled{R}}$ inkjet technology
MAXIMUM PRINT RESOLUTION	5,760 x 1,440 dpi
ISO PRINT SPEED	Black: 10 ISO ppm <sup>1</sup> Colour: 5 ISO ppm <sup>1</sup>
AUTO 2-SIDED ISO PRINT SPEED	-
MINIMUM INK DROPLET SIZE	As small as 3 picoliters
INK	
INK TYPE	EcoTank Ink Bottles
INK PALETTE	Cyan, Magenta, Yellow, Black
INK CONFIGURATION	4 individual ink bottles
BUNDLED INK	522 Black, Cyan, Magenta, Yellow
	(ISO Yield, Epson Methodology - Black: 3,600, Colour: 6,500) <sup>2</sup>
REPLACEMENT INK	522 Black, Cyan, Magenta, Yellow
	(ISO Yield, Epson Methodology - Black: 4,500, Colour: 7,500) <sup>2</sup>

#### GENERAL

OPERATING SYSTEMS

 ${\rm Windows}^{\circledast}$  11  ${\rm Windows}^{\circledast}$  10  ${\rm Windows}^{\circledast}$  8, 8.1 (32-bit, 64-bit)

Windows <sup>®</sup> 7 (32-bit, 64-bit) Windows <sup>®</sup> Vista
Windows <sup>®</sup> Vista Mac <sup>®</sup> OS X <sup>®</sup> 10.6.8 – Mac <sup>®</sup> OS X <sup>®</sup> 10.15. $x^3$
Windows Server <sup>®</sup> 2003 – Windows Server 2019 <sup>4</sup> (32-bit, 64-bit)
Operating: 10° to 35° C Storage: -20° to 40° C
Operating: 20 - 80% RH Storage: 5 - 85% RH (no condensation)
Printing: 375mm x 578mm x 253mm (W x D x H) Storage: 375mm x 347mm x 179mm (W x D x H)
3.9kg
Black: 7.7 ISO ppm <sup>5</sup>
Colour: 3.8 ISO ppm <sup>5</sup>
20 (PC-free)
A4
-
Colour flatbed
-
Colour CIS line sensor
1,200 dpi
1,200 x 2,400 dpi
9,600 dpi interpolated
48-bit colour input / 24-bit colour output
Scan to: PC
-
-
-
-
-
Hi-Speed USB
Wireless (802.11 b/g/n) <sup>6</sup> Wi-Fi Direct <sup>6</sup>
Epson <sup>®</sup> Email Print, Epson Smart Panel, Epson iPrint™ App(iOS <sup>®</sup> , Android)
-
Legal, Letter, 8.5" x 13", A4, B5, A5, A6, B6, user definable (182mm x 257mm – 215.9mm x
297mm")
215.9mm x 355.6mm
Plain Paper Photo Quality Inkjet Paper Epson Matte Paper Epson Glossy Photo Paper
No. 10, C6, DL
100 sheets
-
ESC/P-R
EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwar
AC 100 – 240V Universal (Automatic)
AC 100 – 2400 Universal (Automatic) 50 – 60 Hz
Approx. 12 W ISO 24712 (Standalone copy printing) Approx. 4.5 W (Ready)
Approx. 0.7 W (Sleep) Approx. 0.2 W (Power off) ENERGY STAR <sup>®</sup> qualified
Approx. 0.7 W (Sleep)
Approx. 0.7 W (Sleep)
Approx. 0.7 W (Sleep) Approx. 0.2 W (Power off) ENERGY STAR <sup>®</sup> qualified

INCLUDED

Epson EcoTank ET-2810 Instruction manual CD-ROM for product setup Power cord Initial ink bottles: 1 x 522 Black, 522 Cyan, 522 Magenta & 522 Yellow

<sup>1</sup> Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit <u>www.epson.com/iso-print-speeds</u>

<sup>2</sup> Included ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing. For more information, visit <u>www.epson.com/inkinfo</u>

 $^{3}$  Some applications and/or functions may not be supported under Mac OS X.

<sup>4</sup> Only printing and scanning are supported under Windows Server OS.

<sup>5</sup> Black and colour copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on system configuration and page complexity. For more information, visit <u>www.epson.com/iso-copy-speeds</u>

<sup>6</sup> Wi-Fi CERTIFIED™; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

<sup>7</sup> For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).

#### **Usage Conditions**

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

#### Consumables

GENUINE Epson PAPERS	PRODUCT CODE
<u>4" x 6" Photo Paper Glossy - 100 Sheets (200gsm)</u>	S042548
<u>4" x 6" Photo Paper Glossy - 20 Sheets (200gsm)</u>	S042546
<u>4" x 6" Photo Paper Glossy - 50 Sheets (200gsm)</u>	S042547
4" x 6" Photo Paper Glossy - 500 Sheets - 200gsm	S042549
<u>4" x 6" Premium Glossy Photo Paper - 20 Sheets (255gsm)</u>	S041706
<u>4" x 6" Premium Glossy Photo Paper - 50 Sheets (255gsm)</u>	S041729
<u>4" x 6" Ultra Glossy Photo Paper - 50 Sheets (300gsm)</u>	S041943
<u>5" x 7" Photo Paper Glossy - 20 Sheets (200gsm)</u>	S042544
<u>5" x 7" Photo Paper Glossy - 50 Sheets (200gsm)</u>	S042545
<u>5" x 7" Premium Glossy Photo Paper - 20 Sheets (255gsm)</u>	S041464
<u>A4 Matte Paper Heavy Weight - 50 Sheets (167gsm)</u>	S041256
A4 Photo Paper Glossy - 20 Sheets (200gsm)	S042538
A4 Photo Paper Glossy - 50 Sheets (200gsm)	S042539
<u>A4 Photo Quality Inkjet Paper - 100 Sheets (102gsm)</u>	S041061
<u>A4 Premium Glossy Photo Paper - 20 Sheets (255gsm)</u>	S041287
A4 Premium Semigloss Photo Paper - 20 Sheets (250gsm)	S041332
A4 Ultra Glossy Photo Paper - 15 Sheets (300gsm)	S041927
NK CARTRIDGES	PRODUCT CODE
T522 - EcoTank - Black Ink Bottle	T00M192
<u> T522 - EcoTank - Cyan Ink Bottle</u>	T00M292
T522 - EcoTank - Magenta Ink Bottle	T00M392
T522 - EcoTank - Yellow Ink Bottle	T00M492
CCESSORIES & OPTIONS	PRODUCT CODE
USB 2.0 Cable Type A to B - 2m	USB2M31645

USB 2.0 Cable Type A to B - 5m

Epson is the registered trademark of Seiko Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are imulations. Specifications are subject to change without notice.

USB5M31647

Copyright © 2023 Epson Australia Pty Ltd. All rights reserved. ABN 91 002 625 783 EPN02