



🕂 ENLARGE IMAGE

Overview



The Epson EcoTank ET-2850 wireless all-in-one printer offers cartridge-free printing with easy-to-fill, supersized ink tanks. Each replacement ink bottle set includes enough ink to print up to 6,000 pages¹ – equivalent to about 188 individual cartridges², that means less waste. Exclusive uniquely keyed EcoTank bottles make it easy to fill each colour tank. This premium printer also offers convenient wireless printing from tablets and smartphones³, plus a 2-year Return to Base Warranty with registration⁴.

KEY FEATURES AND BENEFITS

- 💠 Cartridge-Free Printing integrated high capacity ink tank system
- 🗄 Includes Enough Ink to Print up to 6,500 pages black / 5,200 colour¹ equivalent to about 163 individual cartridges²
- ^{III} Easy Wireless easily print from iPad[®], iPhone[®], Android[™] tablets and smartphones^{® 4} includes Wi-Fi Direct^{® 3}
- ${\scriptstyle \ensuremath{\bowtie}}$ Auto 2-Sided Printing save up to 50% of your paper supply
- 1.44" Colour Display easy setup and navigation
- 💠 Borderless Photo Printing easily print and share 4" x 6" photos
- Exclusive Auto-Stop Ink Bottles uniquely keyed for easy filling of each colour

- 💠 100-Sheet Paper Capacity print stacks of pages without interruption
- Bonus Warranty 2-year Return to Base Warranty with registration⁴

OUR MOST ALL-ROUND ECOTANK PRINTER PRINTING FREEDOM

With an integrated high capacity ink tank system, the Epson EcoTank ET-2850 comes with enough ink in the box to print up to 6,500 pages in black / 5,200 pages in colour¹ without worrying about ongoing ink replacement and costs.





HIGH-VOLUME INK BOTTLES

Additional low-cost ink can be bought in convenient high-volume bottles that have a drip-free nozzle and resealable cap for easy storage and refilling. We have redesigned our ink bottles to incorporate a unique key system. Each bottle is keyed so that it only fits into the corresponding ink tank on the printer, thus preventing mis-filling or spillage. Replacement bottles hold enough ink for a massive 7,500 pages in black / 6,000 pages in colour¹.



POWERED BY HEAT-FREE TECHNOLOGY

The Epson EcoTank ET-2850 is powered by Epson Micro Piezo with Heat-Free Technology. Micro Piezo technology utilises piezo crystals that pulse when electrical signals are sent to them by the printer. It produces incredibly consistent droplets, both in shape and size, to deliver clear and sharp prints

MICRO PIEZO

EPSON SMART-PANEL

An innovative interface, the Epson Smart Panel app⁵ transforms your iOS[®] or Android[™] mobile device⁶ into an intuitive control center for your Epson EcoTank ET-2850. This powerful tool makes it easy to set up, monitor, print, scan and more using your Epson printer, right from your hand-held device. With quick-configuration features, it offers easy product setup on your wireless network and automatically detects your printer. Customize the app to your own preferences and requirements.





SIMPLE NAVIGATION

Navigating the printer menu is easier than ever with the 1.44" colour LCD and the user-friendly control panel buttons. Making printing of documents, reports, invoices and presentations so much easier whether at home office or on the go.

CONNECTIVITY

Simple wireless connectivity

The Epson EcoTank ET-2850 supports the latest wireless standard, 802.11 b/g/n^7 and includes Wi-Fi Direct[®]. Which means no router is required, providing users with greater coverage and faster speeds. You can use your EcoTank printer from anywhere in your home and share it with multiple PCs.



Print from your iPad or iPhone



Apple[®] Airprint[™] makes it simple to print emails, web pages, presentations and documents straight from their iPad or iPhone. There's no software to download, no drivers to install and no cables to connect. Your Apple[®] IOS[®] device will automatically connect to the printer.

WARRANTY

The Epson EcoTank range is backed by a 2-year Return-to-Base warranty (1-year standard and a bonus 1-year upon registration)⁴.

Yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity.
Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing.
Individual cartridges estimate based on print yields of replacement black and colour ink bottles as compared to Epson standard-capacity ink cartridges for similarly featured printers as of August 2021.

³ Most features require an Internet connection to the printer, as well as an Internet and/or email-enabled device. See <u>www.epson.com.au/connect</u> for a list of Epson Connect enabled printers and compatible devices and Apps.

⁴ 12 months of standard Return to Base warranty. For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).

⁵ Requires Epson Smart Panel app download. Data usage fees may apply.

⁶ Compatible mobile device operating systems — for iOS: 11.0 or later; for iPadOS[®]: OS 13.1 or later; for Android: 5.0 or later.

⁷ Wi-Fi CERTIFIED[™], level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

Specification

Printer

PRINTER TYPE	
PRODUCT CODE	C11CJ63501
PRINTING TECHNOLOGY	4-Colour (CMYK), drop-on demand MicroPiezo $^{\circledast}$ inkjet technology
MAXIMUM PRINT RESOLUTION	5,760 x 1,440 dpi
ISO PRINT SPEED	Black: 10.5 ISO ppm ¹ Colour: 5 ISO ppm ¹
AUTO 2-SIDED ISO PRINT SPEED	Black: 6 ISO ppm ¹ Colour: 4 ISO ppm ¹
MINIMUM INK DROPLET SIZE	As small as 3 picoliters
INK	
INK TYPE	EcoTank Ink Bottles
INK PALETTE	Cyan, Magenta, Yellow, Black
INK CONFIGURATION	4 individual ink bottles
BUNDLED INK	502 Black, Cyan, Magenta, Yellow (ISO Yield, Epson Methodology - Black: 6,500, Colour: 5,200) ²
REPLACEMENT INK	502 Black, Cyan, Magenta, Yellow (ISO Yield, Epson Methodology - Black: 7,500, Colour: 6,000) ²
GENERAL	
OPERATING SYSTEMS	Windows [®] 10 Windows [®] 8, 8.1 (32-bit, 64-bit) Windows [®] 7 (32-bit, 64-bit) Windows [®] Vista Mac [®] OS X [®] 10.6.8 – Mac [®] OS X [®] 10.15.x ³
SERVER SYSTEMS	Windows Server [®] 2003 – Windows Server 2019 ⁴ (32-bit, 64-bit)
TEMPERATURE	Operating: 10° to 35° C Storage: -20° to 40° C
HUMIDITY	Operating: 20 - 80% RH Storage: 5 - 85% RH (no condensation)
DIMENSIONS	Printing: 375mm x 567mm x 259mm (W x D x H) Storage: 375mm x 347mm x 187mm (W x D x H)
WEIGHT	5.5kg
СОРҮ	
ISO COPY SPEED	Black: 7.7 ISO ppm ⁵ Colour: 3.8 ISO ppm ⁵
COPY QUANTITY	99 (PC-free)

MAXIMUM COPY SIZE	Α4
COPY FEATURES	Reduction & Enlargement (25 - 400%) Borderless
CAN	Durdeness
SCANNER TYPE	Colour flatbed
AUTOMATIC DOCUMENT FEEDER (ADF) CAPACITY	-
PHOTOELECTRIC DEVICE	Colour CIS line sensor
OPTICAL RESOLUTION	2,400 dpi
HARDWARE RESOLUTION	1,200 x 2,400 dpi
MAXIMUM RESOLUTION	9,600 dpi interpolated
COLOUR BIT DEPTH	48-bit colour input / 24-bit colour output
SCAN FEATURES	Scan to: PC
AX	
FAX SETTINGS	
FAX SPEED	-
MEMORY	-
SPEED DIALS	-
PC FAX	-
STANDARD CONNECTIVITY	Hi-Speed USB Wireless (802.11 b/g/n) ⁶
	Wireless (602.11 b/g/f) ⁻ Wi-Fi Direct ⁶
10BILE PRINTING SOLUTIONS	
EPSON CONNECT	
	Epson [®] Email Print, Epson Smart Panel, Epson iPrint™ App(iOS [®] , Android)
OTHER	Apple [®] AirPrint [®] , Mopria [®] Print Service
APER HANDLING	
PAPER SIZES	Legal, Letter, 8.5" x 13", A4, B5, A5, A6, B6, user definable (182mm x 257mm – 215.9mm x 297mm")
MAXIMUM PAPER SIZES	215.9mm x 355.6mm
PAPER TYPES	Plain Paper Photo Quality Inkjet Paper Epson Matte Paper Epson Glossy Photo Paper
ENVELOPE TYPES	No. 10, C6, DL
INPUT PAPER CAPACITY	100 sheets
RINTER DETAILS	
DISPLAY	1.44" colour LCD
PRINTER LANGUAGE	ESC/P-R
SOFTWARE INCLUDED	EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwa
OWER	
RATED VOLTAGE	AC 100 – 240V Universal (Automatic)
RATED FREQUENCY	50 – 60 Hz
POWER CONSUMPTION	Approx. 12 W ISO 24712 (Standalone copy printing) Approx. 4.3 W (Ready) Approx. 0.7 W (Sleep)
	Approx. 0.2 W (Power off) ENERGY STAR [®] qualified
VARRANTY	
STANDARD	12 months return to base
BONUS	Additional 12 months return to base warranty upon registration ⁷
VHATS IN THE BOX	
INCLUDED	Epson EcoTank ET-2850 Instruction manual CD-ROM for product setup Power cord Initial ink bottles: 1 x 502 Black, 502 Cyan, 502 Magenta & 502 Yellow
1 Diada and an an article and the second sec	· · · · ·
complexity. For more information, visit <u>www.epson.com</u> , ² Included ink bottle yields based on the ISO/IEC 24712 pr printed, print settings, temperature and humidity. Yields m	with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page /iso-print-speeds attern with Epson's methodology. Actual ink yields will vary considerably for reasons including images ay be lower when printing infrequently or predominantly with one ink color. All ink colors are used for vailable for printing. For more information, visit <u>www.epson.com/inkinfo</u>

⁵ Black and color copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on system configuration and page complexity. For more information, visit <u>www.epson.com/iso-copy-speeds</u>

⁶ Wi-Fi CERTIFIED[™]; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

⁷ For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).

Usage Conditions

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

Consumables

GENUINE Epson PAPERS	PRODUCT CODE
<u>4" x 6" Photo Paper Glossy - 100 Sheets (200gsm)</u>	S042548
<u>4" x 6" Photo Paper Glossy - 20 Sheets (200gsm)</u>	S042546
<u>4" x 6" Photo Paper Glossy - 50 Sheets (200gsm)</u>	S042547
4" x 6" Photo Paper Glossy - 500 Sheets - 200gsm	S042549
4" x 6" Premium Glossy Photo Paper - 50 Sheets (255gsm)	S041729
<u>4" x 6" Ultra Glossy Photo Paper - 50 Sheets (300gsm)</u>	S041943
<u>5" x 7" Photo Paper Glossy - 20 Sheets (200gsm)</u>	S042544
5" x 7" Photo Paper Glossy - 50 Sheets (200gsm)	S042545
<u>5" x 7" Premium Glossy Photo Paper - 20 Sheets (255gsm)</u>	S041464
A4 Matte Paper Heavy Weight - 50 Sheets (167gsm)	S041256
A4 Photo Paper Glossy - 20 Sheets (200gsm)	S042538
A4 Photo Paper Glossy - 50 Sheets (200gsm)	S042539
<u>A4 Photo Quality Inkjet Paper - 100 Sheets (102gsm)</u>	S041061
A4 Premium Glossy Photo Paper - 20 Sheets (255gsm)	S041287
A4 Premium Semigloss Photo Paper - 20 Sheets (250gsm)	S041332
<u>A4 Ultra Glossy Photo Paper - 15 Sheets (300gsm)</u>	S041927
NK CARTRIDGES	PRODUCT CODE
<u> T502 - EcoTank - Black Ink Bottle</u>	Т03К192

T502 - EcoTank - Yellow Ink Bottle	T03K492
<u> T502 - EcoTank - Magenta Ink Bottle</u>	Т03К392
<u> T502 - EcoTank - Cyan Ink Bottle</u>	Т03К292

ACCESSORIES & OPTIONS	PRODUCT CODE
USB 2.0 Cable Type A to B - 2m	USB2M31645
USB 2.0 Cable Type A to B - 5m	USB5M31647

Epson is the registered trademark of Seiko Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are imulations. Specifications are subject to change without notice.

Copyright © 2021 Epson Australia Pty Ltd. All rights reserved. ABN 91 002 625 783 EPN01