

# Epson EcoTank ET-4800



ENLARGE IMAGE

#### **EcoTank 4 Colour Multifunction Printers**

Print | Copy | Scan | ADF | Fax | Ethernet | Wi-Fi $^{\circledR}$ 

<u>Product Support Videos</u> Printer Friendly Specs

Where to Buy

### **Overview**





The Epson EcoTank ET-4800 wireless all-in-one printer offers cartridge-free printing with easy-to-fill, supersized ink tanks. Each replacement ink bottle set includes enough ink to print up to 4,500 pages<sup>1</sup> – equivalent to about 203 individual cartridges<sup>2</sup>, that means less waste. Exclusive uniquely keyed EcoTank bottles make it easy to fill each colour tank. The ET-4800 also offers a 30-sheet ADF, wired and wireless networking plus a 2-year Return to Base Warranty with registration<sup>3</sup>.

# KEY FEATURES AND BENEFITS

Cartridge-Free Printing – integrated high capacity ink tank system

Includes Enough Ink to Print up to 3,600 pages black / 6,500 colour - equivalent to about 174 individual cartridges2

Wireless– easily print from tablets and smartphones<sup>4</sup>

Exclusive Auto-Stop Ink Bottles – uniquely keyed for easy filling of each colour

 $\label{eq:Versatile-30} \textit{Page automatic document feeder to easily copy, scan} \ \textit{and fax}$ 

Easy Setup and Menu Navigation - 1.44" LCD

One-Touch Copying – get high quality copies fast

# **OUR IDEAL ECOTANK PRINTER FOR THE HOME OFFICE**PRINTING FREEDOM

With an integrated high capacity ink tank system, the Epson EcoTank ET-4800 comes with enough ink in the box to print up to 3,600 pages in black / 6,500 pages in colour 1 without worrying about ongoing ink replacement and costs.





#### HIGH-VOLUME INK BOTTLES

Additional low-cost ink can be bought in convenient high-volume bottles that have a drip-free nozzle and resealable cap for easy storage and refilling. We have redesigned our ink bottles to incorporate a unique key system. Each bottle is keyed so that it only fits into the corresponding ink tank on the printer, thus preventing mis-filling or spillage. Replacement bottles hold enough ink for a massive 4,500 pages in black / 7,500 pages in colour<sup>1</sup>.





## POWERED BY HEAT-FREE TECHNOLOGY



The Epson EcoTank ET-4800 is powered by Epson Micro Piezo with Heat-Free Technology. Micro Piezo technology utilises piezo crystals that pulse when electrical signals are sent to them by the printer. It produces incredibly consistent droplets, both in shape and size, to deliver clear and sharp

## DO MORE

The Epson EcoTank ET-4800 is our most versatile EcoTank for the home office, allowing you to scan, copy and fax easily with the convenient 30-page Automatic Document Feeder (ADF). Featuring a 100-sheet capacity rear feed, so you can load less often.



## HIGH-SPEED FAXING

Fax as fast as 3 seconds per page, save up to 100 pages in memory, and store up to 100 speed dialing numbers. Using the included PC-Fax, you can even send a colour fax right from your computer. It is a great way to save time and paper.



### EPSON SMART-PANEL

An innovative interface, the Epson Smart Panel app<sup>5</sup> transforms your iOS<sup>®</sup> or Android<sup>™</sup> mobile device<sup>6</sup> into an intuitive control center for your Epson EcoTank ET-4800. This powerful tool makes it easy to set up, monitor, print, scan and more using your Epson printer, right from your hand-held device. With quick-configuration features, it offers easy product setup on your wireless network and automatically detects your printer. Customize the app to your own preferences and requirements.





### SIMPLE NAVIGATION

Navigating the printer menu is easier than ever with the 1.44" colour LCD and the user-friendly control panel buttons. Making printing of documents, reports, invoices and presentations so much easier whether at home office or on the go.

### CONNECTIVITY

Simple wireless connectivity

The Epson EcoTank ET-4800 supports the latest wireless standard,  $802.11 \text{ b/g/n}^7$  and includes Wi-Fi Direct<sup>®</sup>. Which means no router is required, providing users with greater coverage and faster speeds. You can use your EcoTank printer from anywhere in your home and share it with multiple PCs. Sharing the printer on your network is quick and easy with built in Ethernet.





Print from your iPad or iPhone

Apple<sup>®</sup> Airprint<sup>™</sup> makes it simple to print emails, web pages, presentations and documents straight from their iPad or iPhone. There's no software to download, no drivers to install and no cables to connect. Your Apple<sup>®</sup> IOS<sup>®</sup> device will automatically connect to the printer.

## WARRANTY

The Epson EcoTank range is backed by a 2-year Return-to-Base warranty (1-year standard and a bonus 1-year upon registration)<sup>4</sup>.



- 1 Yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing.
- <sup>2</sup> Individual cartridges estimate based on print yields of replacement black and colour ink bottles as compared to Epson standard-capacity ink cartridges for similarly featured printers as of August 2021.
- <sup>3</sup> 12 months of standard Return to Base warranty. For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).
- <sup>4</sup> Most features require an Internet connection to the printer, as well as an Internet and/or email-enabled device. See <u>www.epson.com.au/connect</u> for a list of Epson Connect enabled printers and compatible devices and Apps.
- <sup>5</sup> Requires Epson Smart Panel app download. Data usage fees may apply.
- $^{\bf 6} \ {\rm Compatible \ mobile \ device \ operating \ systems for \ iOS: \ 11.0 \ or \ later; \ for \ iPadOS} @: OS \ 13.1 \ or \ later; \ for \ Android: \ 5.0 \ or \ later.}$
- <sup>7</sup> Wi-Fi CERTIFIED™, level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

# **Specification**

| Printer                      |   |
|------------------------------|---|
| PRINTER TYPE                 |   |
| PRODUCT CODE                 | C11CJ65501  |
| PRINTING TECHNOLOGY          | 4-Colour (CMYK), drop-on demand MicroPiezo $^{	ext{@}}$ inkjet technology   |
| MAXIMUM PRINT RESOLUTION     | 5,760 x 1,440 dpi   |
| ISO PRINT SPEED              | Black: 10.0 ISO ppm <sup>1</sup> Colour: 5 ISO ppm <sup>1</sup>   |
| AUTO 2-SIDED PRINTING        | No – Manual only  |
| AUTO 2-SIDED ISO PRINT SPEED | -   |
| MINIMUM INK DROPLET SIZE     | As small as 3 picoliters  |
| INK                          |   |
| INK TYPE                     | EcoTank Ink Bottles   |
| INK PALETTE                  | Cyan, Magenta, Yellow, Black  |
| INK CONFIGURATION            | 4 individual ink bottles  |
| BUNDLED INK                  | 522 Black, Cyan, Magenta, Yellow (ISO Yield, Epson Methodology - Black: 3,600, Colour: 6,500) <sup>2</sup>  |
| REPLACEMENT INK              | 522 Black, Cyan, Magenta, Yellow<br>(ISO Yield, Epson Methodology - Black: 4,500, Colour: 7,500) <sup>2</sup>   |
| GENERAL                      |   |
| OPERATING SYSTEMS            | Windows <sup>®</sup> 11 Windows <sup>®</sup> 10 Windows <sup>®</sup> 8, 8.1 (32-bit, 64-bit) Windows <sup>®</sup> 7 (32-bit, 64-bit) Windows <sup>®</sup> Vista $Mac^{®}$ OS $X^{®}$ 10.6.8 – $Mac^{®}$ OS $X^{®}$ 10.15. $x^{3}$ |
| SERVER SYSTEMS               | Windows Server® 2003 – Windows Server 2019 <sup>4</sup> (32-bit, 64-bit)  |

|   | Operating: 10° to 35° C<br>Storage: -20° to 40° C  |
|---|--|
| HUMIDITY  | Operating: 20 - 80% RH Storage: 5 - 85% RH (no condensation)   |
| DIMENSIONS  | Printing: 375mm x 578mm x 253mm (W x D x H)<br>Storage: 375mm x 347mm x 237mm (W x D x H)  |
| WEIGHT  | 5kg  |
| СОРУ  |  |
| ISO COPY SPEED  | Black: 7.7 ISO ppm <sup>5</sup> Colour: 3.8 ISO ppm <sup>5</sup>   |
| COPY QUANTITY   | 99 (PC-free)   |
| MAXIMUM COPY SIZE   | A4   |
| COPY FEATURES   | Reduction & Enlargement (25 - 400%)  |
| SCAN .  |  |
| SCANNER TYPE  | Colour flatbed / ADF   |
| AUTOMATIC DOCUMENT FEEDER (ADF) CAPACITY  | 30 sheets  |
| PHOTOELECTRIC DEVICE  | Colour CIS line sensor   |
| OPTICAL RESOLUTION  | 1,200 dpi  |
| HARDWARE RESOLUTION   | 1,200 x 2,400 dpi  |
| MAXIMUM RESOLUTION  | 9,600 dpi interpolated   |
| COLOUR BIT DEPTH  | 48-bit colour input / 24-bit colour output   |
| SCAN FEATURES   | Scan to: PC  |
|   |  |
| TAV   |  |
| EAV SETTINGS  | Plack 9. White and Colour  |
| FAX SETTINGS  | Black & White and Colour   |
| FAX SPEED   | Up to 33.6 Kbps – as fast as 3 sec per page  |
| MEMORY  | Up to 100 pages  |
| SPEED DIALS   | 100 (max.)   |
| PC FAX  | Yes  |
| CONNECTIVITY  |  |
| STANDARD CONNECTIVITY   | Hi-Speed USB<br>Wireless (802.11 b/g/n) <sup>6</sup><br>Ethernet (10/100 Mbps) Wi-Fi Direct <sup>6</sup>   |
| 10BILE PRINTING SOLUTIONS   |  |
| EPSON CONNECT   | Epson <sup>®</sup> Email Print, Epson Smart Panel, Epson iPrint™ App(iOS <sup>®</sup> , Android)   |
|   |  |
| OTHER   | Apple $^{	ext{@}}$ AirPrint $^{	ext{@}}$ , Mopria $^{	ext{@}}$ Print Service   |
| PAPER HANDLING  |  |
| PAPER SIZES   | Legal, Letter, 8.5" x 13", A4, B5, A5, A6, B6, user definable (182mm x 257mm $-$ 215.9mm x 297mm")   |
| MAXIMUM PAPER SIZES   | 215.9mm x 355.6mm  |
| PAPER TYPES   | Plain Paper<br>Photo Quality Inkjet Paper<br>Epson Matte Paper<br>Epson Glossy Photo Paper   |
|   | No. 10 CG DI   |
| ENVELOPE TYPES  | No. 10, C6, DL   |
| ENVELOPE TYPES INPUT PAPER CAPACITY   | 100 sheets   |
| INPUT PAPER CAPACITY  |  |
|   |  |
| INPUT PAPER CAPACITY PRINTER DETAILS  | 100 sheets   |
| INPUT PAPER CAPACITY PRINTER DETAILS DISPLAY  | 1.44" colour LCD<br>ESC/P-R  |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED   | 1.44" colour LCD<br>ESC/P-R  |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED   | 1.44" colour LCD  ESC/P-R  EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and software  |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED  POWER  RATED VOLTAGE                                     | 1.44" colour LCD  ESC/P-R  EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwar  AC 100 – 240V Universal (Automatic)  |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED  POWER  | 1.44" colour LCD  ESC/P-R  EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwar  AC 100 – 240V Universal (Automatic)  50 – 60 Hz  Approx. 12 W ISO 24712 (Standalone copy printing)  Approx. 4.5 W (Ready)  Approx. 0.7 W (Sleep)   |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED  POWER  RATED VOLTAGE  RATED FREQUENCY  POWER CONSUMPTION | 1.44" colour LCD  ESC/P-R  EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwar  AC 100 – 240V Universal (Automatic)  50 – 60 Hz  Approx. 12 W ISO 24712 (Standalone copy printing)  Approx. 4.5 W (Ready)  |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED  POWER  RATED VOLTAGE  RATED FREQUENCY  POWER CONSUMPTION | 1.44" colour LCD  ESC/P-R  EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwar  AC 100 – 240V Universal (Automatic)  50 – 60 Hz  Approx. 12 W ISO 24712 (Standalone copy printing)  Approx. 4.5 W (Ready)  Approx. 0.7 W (Sleep)  Approx. 0.2 W (Power off) ENERGY STAR® qualified |
| INPUT PAPER CAPACITY  PRINTER DETAILS  DISPLAY  PRINTER LANGUAGE  SOFTWARE INCLUDED  POWER  RATED VOLTAGE  RATED FREQUENCY  POWER CONSUMPTION | 1.44" colour LCD  ESC/P-R  EPSON printer driver, EPSON Scan: Internet access is required to install OS X drivers and softwar  AC 100 – 240V Universal (Automatic)  50 – 60 Hz  Approx. 12 W ISO 24712 (Standalone copy printing)  Approx. 4.5 W (Ready)  Approx. 0.7 W (Sleep)   |

Epson EcoTank ET-4800 Instruction manual CD-ROM for product setup

Power cord

Initial ink bottles: 1 x 522 Black, 522 Cyan, 522 Magenta & 522 Yellow

#### **Usage Conditions**

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

### **Consumables**

| ENUINE Epson PAPERS                                     | PRODUCT CODE |
|---|--------------|
| 4" x 6" Photo Paper Glossy - 100 Sheets (200gsm)        | S042548      |
| 4" x 6" Photo Paper Glossy - 20 Sheets (200gsm)         | S042546      |
| 4" x 6" Photo Paper Glossy - 50 Sheets (200gsm)         | S042547      |
| 4" x 6" Photo Paper Glossy - 500 Sheets - 200gsm        | S042549      |
| 4" x 6" Premium Glossy Photo Paper - 20 Sheets (255gsm) | S041706      |
| 4" x 6" Premium Glossy Photo Paper - 50 Sheets (255gsm) | S041729      |
| 4" x 6" Ultra Glossy Photo Paper - 50 Sheets (300gsm)   | S041943      |
| 5" x 7" Photo Paper Glossy - 20 Sheets (200gsm)         | S042544      |
| 5" x 7" Photo Paper Glossy - 50 Sheets (200gsm)         | S042545      |
| 5" x 7" Premium Glossy Photo Paper - 20 Sheets (255gsm) | S041464      |
| A4 Matte Paper Heavy Weight - 50 Sheets (167gsm)        | S041256      |
| A4 Photo Paper Glossy - 20 Sheets (200gsm)              | S042538      |
| A4 Photo Paper Glossy - 50 Sheets (200gsm)              | S042539      |
| A4 Photo Quality Inkjet Paper - 100 Sheets (102gsm)     | S041061      |
| A4 Premium Glossy Photo Paper - 20 Sheets (255gsm)      | S041287      |
| A4 Premium Semigloss Photo Paper - 20 Sheets (250gsm)   | S041332      |
| A4 Ultra Glossy Photo Paper - 15 Sheets (300gsm)        | S041927      |
| NK CARTRIDGES   | PRODUCT CODE |
| T522 - EcoTank - Black Ink Bottle                       | T00M192      |
| T522 - EcoTank - Cyan Ink Bottle                        | T00M292      |
| T522 - EcoTank - Magenta Ink Bottle                     | T00M392      |
| T522 - EcoTank - Yellow Ink Bottle                      | T00M492      |
| CCESSORIES & OPTIONS                                    | PRODUCT CODE |
| USB 2.0 Cable Type A to B - 2m                          | USB2M31645   |
| USB 2.0 Cable Type A to B - 5m                          | USB5M31647   |

Epson is the registered trademark of Seiko Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are imulations. Specifications are subject to change without notice.

<sup>&</sup>lt;sup>1</sup> Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit <u>www.epson.com/iso-print-speeds</u>

<sup>&</sup>lt;sup>2</sup> Included ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing. For more information, visit <a href="www.epson.com/inkinfo">www.epson.com/inkinfo</a>

 $<sup>^{3}</sup>$  Some applications and/or functions may not be supported under Mac OS X.

 $<sup>^{\</sup>rm 4}$  Only printing and scanning are supported under Windows Server OS.

<sup>&</sup>lt;sup>5</sup> Black and colour copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on system configuration and page complexity. For more information, visit <u>www.epson.com/iso-copy-speeds</u>

<sup>&</sup>lt;sup>6</sup> Wi-Fi CERTIFIED™; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

<sup>&</sup>lt;sup>7</sup> For an additional 12 months (total of 24 months), register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).