

Ordering Information

Commercial model number: A2W78A (BGJ) A2W78A (201/Gov't) A2W78A (AAZ/220 volt model)

Canada model number: A2W78A

Sidebar

In the box:

Print cartridges (1 each black, cyan, magenta, yellow) Image drums (1 each black, cyan, magenta, yellow) Software drivers and documentation on CD-ROM **Documentation (Hardware** Install Guide) Power cord HP Jetdirect Gigabit Ethernet Print Server (embedded) 100-sheet multipurpose tray 500-sheet input tray Automatic duplexer (built-in) **Encrypted Hard Drive** 3 x 500-sheet paper input

Software:

HP PCL 6 Discrete Printer Driver Mac SW Link to Web (Mac Installer) Windows Installer

Standard warranty:

1 year next business day onsite

Replaces

<u>HP Color</u> LaserJet CP6015dn Printer	Q3932A Compare
<u>HP Color</u> <u>LaserJet</u> <u>CP6015x</u> <u>Printer</u>	Q3933A Compare
<u>HP Color</u> <u>LaserJet</u> <u>CP6015xh</u> <u>Printer</u>	Q3934A Compare

HP Care Pack Options

Recommended Care Pack

Boost productivity with speedy color printing and finishing touches for standout documents.

Boost productivity for every workgroup with fast color printing. Employees can add professional finishing touches with minimal effort.

Help protect your printer investment and manage printing across the enterprise. Easily upgrade and add capabilities as your needs change. Manage the printing fleet from a single location. Expect high efficiency for the long term.

Eliminate the wires and complications from mobile printing. Enable easy printing from smartphones, tablets, and laptops at work, home, or on the go. Give users simple access through wireless direct printing and touch-to-print technology.^{1,2}



🔍 Enlarge Image

Compatible Operating Systems

Standard Desktop

	00/04 hit (ODD as high as)
Windows XP	32/64-bit (SP2 or higher)
Windows Server 2003	32/64-bit (SP1 or higher)
Windows Server 2008	32/64-bit
Windows Server 2012	32/64-bit
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
Windows® 8	32/64-bit
Mac OS	Mac OS X v 10.6.8, 10.7.5, 10.8
Other	For the latest operating system support see: AirPrint [™] (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX JetDirect (hp.com/go/ jetdirectunix_software)

Additional Information

Sales	www.hp.com Data Sheet 4AA5-0081ENUC Data Sheets A2W78A
Technical Support	www.hp.com/support
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

Services

Installation with Network Setup Service	H2872E
Next Business Day Onsite with DMR: 3 years	U0LX2E
Optional Care F	Pack Services
Installation with Network Setup Service	H2872E
Same Day Onsite, Standard Business Hours: 3 years	U0LW6E
Same Day	U0LW8E

Same Day Onsite, Standard Business Hours: 4 years

Same Day Onsite,

```
U0LX0E
```

U0LW7E

U0LW9E

U0LX1E

U0LX2E

U0LX3E

U0LX4E

U0LX8E

U0LX9E

Standard Business Hours: 5 years

Same Day Onsite, Extended Business Hours: 3 years

Same Day Onsite, Extended **Business** Hours: 4 years

Same Day Onsite, Extended **Business** Hours: 5 years

Next Business Day Onsite with DMR: 3 years

Next Business Day Onsite with DMR: 4 years

Next Business Day Onsite with DMR: 5 years

Next Business Day Onsite Call-to-Repair with DMR: 3 years

Next Business Day Onsite

Brand Specifications

Print Technology	Laser
Print Speed Black, Letter:	
ISO/Best Quality	Up to 45 ppm⁴
Print Speed Color, Letter:	
ISO/Best Quality	Up to 45 ppm⁴
First Page Out	As fast as 11 sec from Ready mode
Processor	800 MHz
Paper Trays, Std	5
Paper Trays, Max	5
Input Capacity, Std	2,100 sheets (100-sheet multipurpose tray, 5
	sheet input tray, 3 x 500-sheet input tray)
Input Capacity, Max	2,100 sheets (75 g/m ²)
Output Capacity, Std	500 sheets (75 g/m ²)
Output Capacity, Max	3,000 sheets (75 g/m ²) with an optional outpu device.
Envelope Input, Std	10
Envelope Feeder	No
Two-Sided Printing	Automatic (standard)
Typefaces	105 internal TrueType fonts scalable in HP P 92 internal scalable fonts in HP Postscript lev 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available v third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.co go/laserjetfonts
Prints Color	Yes
Print Quality, Color Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP ImageRet 4800; HP FastRes 1200 (1200 quality), 600 x 600 dpi; HP ProRes 1200 (120 1200 dpi); HP on paper calibration Technolog Pantone* Calibrated
Print Languages, Std	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Display Type	4.3-in WQVGA 480 x 272 resistive touch disp with Home button
ENERAL	
Duty Cycle, Monthly	Up to 175,000 pages
Recommended Monthly Volume	4000 to 25,000 pages
Media Types	Cut sheet paper, labels, transparencies, glos paper, glossy film, photo media, tough paper envelopes
Media Sizes, Std	Tray 1: Letter, letter-R, legal, executive, ledge (11×17) , 8.5 x 13, 12 x 18, statement, 4 x 6 endex card, 5 x 7 Index card, 5 x 8 Index card x 5 index card, envelopes (No. 9, No. 10, Monarch); tray 2: etter, letter-R, legal, execut ledger (11×17) , 8.5 x 13; tray 3, 4, 5: letter, letter-R, legal, executive, ledger (11×17) , 8.5 x 13, 12 x 18
Media Sizes, Std, Metric	Tray 1: A3; A4; A4R; A5; B5 (JIS); B4 (JIS); 8 x 13; RA4; SRA4; 8K (270 x 390); 8K (260 x 368); 8K (7.75 x 10.75); 16K (195 x 270); 16k (184 x 260); 16K (7.75 x 10.75); RA3; SRA3; x 18; A6; B6 (JIS); PHOTO 2L; DPOSTCARD

Call-to-Repair with DMR: 4 years			10.75); tray 3+: A3; A4; A4-R; A5; B5 (JIS); B4 (JIS); 8.5 x 13; RA4; SRA4; 8K (270 x 390); 8K (260 x 368); 8K (7.75 x 10.75); 16K (195 x 270); 16K (195 x 260); 16K (7 75 x 10.75); DA2;
Next Business	U0LY0E		16K (184 x 260); 16K (7.75 x 10.75); RA3; SRA3
Day Onsite Call-to-Repair with DMR: 5 years		Media Sizes, Custom	Tray 1: 3 x 5 in to 12.6 x 18 in; tray 2: 5.8 x 8.3 in to 11.7 x 17 in; tray 3, 4, 5: 5.8 x 8.3 to 12.6 x 18 in
Second Business Day	U0LY1E	Media Sizes, Custom, Metric	Tray 1: 76.2 x 127 to 320 x 457.2 mm; tray 2: 148 x 210 to 297 x 432 mm; tray 3, 4, 5: 148 x 210 to 320 x 457 mm
Onsite Call-to-		Media Weights	Tray 1, 2, 3, 4, 5: 16 to 58 lb
Repair with		Media Weights, Metric	Tray 1, 2, 3, 4, 5: 60 to 220 g/m ²
DMR: 3 years Second Business Day Onsite Call-to-	U0LY2E	Connectivity, Std	2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T, Hardware Integration Pocket (HIP), 2 Internal USB Host
Repair with		Connectivity, Opt	HP Jetdirect external and wireless print servers
DMR: 4 years		Mobile Printing Capability	HP ePrint, Apple AirPrint™, Mobile Apps, HP Wireless Direct printing (optional)
Second Business Day	U0LY3E	Memory, Std	1 GB
Onsite Call-to-		Memory, Max	1 GB
Repair with DMR: 5 years		Hard Disk Drive	Standard, minimum 320 GB HP High- Performance Secure Hard Disk (AES 256 hardware encryption or greater)
Maintenance	U0QR8E	Power Supply Type	Built-in power supply
Kit Replacement Service (Fuser)		Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 10.5 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A (Not dual voltage, power supply varies by part number with # Option code
Maintenance Kit	U0QS0E		identifier)
Replacement Service		Power Consumption	1100 watts (Printing), 60 watts (Ready), 7.0 watts (Sleep), 1watt (Auto-Off), 0.4 watts (Off) ⁵
(Transfer)		Typical Electricity Consumption (TEC)	5.345 kWH/week
Post Warranty		ENERGY STAR® Qualified	Yes
Service,	HC130PE	Mac Compatible	Yes
Remote User Assistance		Dimensions (W x D x H)	39.4 x 25 x 41.9 in (maximum), 27.7 x 25 x 41.9 in (minimum)
Support: 1		Weight	269.4 lb
year		Dimensions, Metric	1000 x 635 x 1063 mm (maximum), 704 x 635 x 1063 mm (minimum)
Post Warranty	U0LY6PE	Weight, Metric	122.47 kg
Service, Same		Shipping Dimensions	33.7 x 31.1 x 53.23 in
Day Onsite, Standard		Shipping Weight	310.8 lb
Business		Shipping Dimensions, Metric	856 x 790 x 1352 mm
Hours: 1 year		Shipping Weight, Metric	141.9 kg
-		Pallet Dimensions	33.7 x 31.1 x 53.23 in
Post Warranty	U0LY7PE	Pallet Dimensions, Metric	856 x 790 x 1352 mm
Service, Same		Pallet Weight	310.8 lb
Day Onsite, Extended		Pallet Weight, Metric	141.9 kg
Business Hours: 1 year		Quantity Per Pallet	1
Post Warranty	U0LY5PE		

ost Warranty Service, Next **Business Day** Onsite: 2 years

Post Warranty Service, Next **Business Day** Onsite with DMR: 1 year

Post Warranty Service, Next

U0LY5PE

U0LY8PE

U0LY9PE

Paper-handling accessories HP LaserJet Stapler/Stacker (A2W80A) HP LaserJet Booklet Maker/Finisher with 2/3 hole punch (A2W84A) HP Staple Cartridge Refill (C8091A) HP 2-pack 2000-staple Cartridge (CC383A)

HP Jetdirect 2800w NFC/Wireless Direct Accessory (J8029A)

HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A) HP Jetdirect 2700w USB Wireless Print Server (J8026A)

Jetdirect Products

Accessories

Business Day Onsite Call-to-Repair with DMR: 1 year

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

U0LZ0PE

Maintenance kits

HP Color LaserJet 110 Volt Fuser Kit (C1N54A) HP Color LaserJet 220 Volt Fuser Kit (C1N58A) HP LaserJet Transfer and Roller Kit (D7H14A)

LaserJet font solutions

HP BarCode Printing Solution (HG271TT) HP BarCodes and More v.2 - USB (HG281TS) HP Scalable BarCodes v.2 - USB (HG282TT)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 826A Black Original LaserJet Toner Cartridge (<u>CF310A</u>) HP 826A Cyan Original LaserJet Toner Cartridge (<u>CF311A</u>) HP 826A Yellow Original LaserJet Toner Cartridge (<u>CF312A</u>) HP 826A Magenta Original LaserJet Toner Cartridge (<u>CF313A</u>) HP 828A Black LaserJet Image Drum (<u>CF358A</u>) HP 828A Cyan LaserJet Image Drum (<u>CF359A</u>) HP 828A Yellow LaserJet Image Drum (<u>CF364A</u>) HP 828A Magenta LaserJet Image Drum (<u>CF365A</u>)

Compatible Paper Products

Top Recommended Papers

HP Premium Glossy Preser	ntation Paper		
8.5 x 11 in	32 lb	250 sheets	<u>CG988A</u>
11 x 17 in	32 lb	250 sheets	<u>Q2547A</u>
HP Laser Glossy Brochure	Paper		
8.5 x 11 in	52 lb	100 sheets	<u>Q6608A</u>
8.5 x 11 in	40 lb	150 sheets	<u>Q6611A</u>
HP Premium Choice Laser	Paper		
8.5 x 11 in	32 lb	3000 (500 sheets/6 reams)	HPU1132
HP Brochure and Presentat	ion Papers		
HP Premium Glossy Preser	-		
8.5 x 11 in	32 lb	250 sheets	<u>CG988A</u>
11 x 17 in	32 lb	250 sheets	<u>Q2547A</u>
HP Laser Matte Brochure P	aper		
8.5 x 11 in	52 lb	100 sheets	<u>Q8824A</u>
8.5 x 11 in	40 lb	150 sheets	<u>Q6543A</u>
HP Laser Glossy Tri-fold Br	ochure Paper		
8.5 x 11 in	40 lb	150 sheets	<u>Q6612A</u>
HP Laser Glossy Brochure	Paper		
8.5 x 11 in	52 lb	100 sheets	<u>Q6608A</u>
8.5 x 11 in	40 lb	150 sheets	<u>Q6611A</u>
HP Everyday Papers			
HP Premium Choice Laser			
8.5 x 11 in	32 lb	3000 (500 sheets/6 reams)	HPU1132
HP LaserJet Paper			
8.5 x 11 in	24 lb	5000 (500 sheets/10 reams)	HPJ1124
8.5 x 11 in	24 lb	2500 (500 sheets/5 reams)	HPJ115RC
HP All-in-One Printing Pape			
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	<u>HPT115</u>
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
			HPM115RC HPM113H
8.5 x 11 in 8.5 x 11 in 8.5 x 11 in, 3-hole punch	20 lb 20 lb 20 lb	2,500 sheets (10 reams) 2,500 sheets (5 reams) 500 sheets	HPN

8.5 x 14 in	20 lb	500 sheets	<u>HPM1420</u>
11 x 17 in	20 lb	500 sheets	<u>HPM1720</u>
HP Office Paper			
8.5 x 11 in 8.5 x 11 in 8.5 x 11 in, 3-hole punch 8.5 x 14 in 11 x 17 in 8.5 x 11 in	20 lb 20 lb 20 lb 20 lb 20 lb 20 lb	2,500 sheets (5 reams) 5,000 sheets (10 reams) 500 sheets 500 sheets 500 sheets 500 sheets	HPC115RC HPC8511C HPC3HP HPC8514 HPC1117 HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2500	HP2500S
HP Recycled Paper			
8.5 x 11 in 8.5 x 11 in	20 lb 20 lb	500 sheets 5,000 sheets (10 reams)	HPE1120R HPE1120C
HP Business Copy Paper			
8.5 x 11 in	20 lb	5000	HPBC11
HP Everyday Copy and Print Paper			
8.5 x 11 in	20 lb	5000	<u>HPA510</u>

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- Touch-to-print capability is standard in the HP LaserJet Enterprise M855x+ D7P73A model, and may be added as an option to the HP LaserJet Enterprise M855x+ A2W79A, HP LaserJet Enterprise M855xh A2W78A, and HP LaserJet Enterprise M855dn A2W77A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting.
- 2. Wireless direct printing is standard in the HP LaserJet Enterprise M855x+ D7P73A model, and may be added as an option to the HP LaserJet Enterprise M855x+ A2W79A, HP LaserJet Enterprise M855xh A2W78A, and HP LaserJet Enterprise M855dh A2W77A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting.
- 3. Supports OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint[™] and the AirPrint logo are trademarks of Apple Inc.
- 4. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 5. Values subject to change. Power numbers are the highest values measured using all standard voltages. See http://www.hp.com/support for current information.